

Can social robots help children in healthcare contexts? A scoping review

Julia Dawe,¹ Craig Sutherland,² Alex Barco,³ Elizabeth Broadbent¹

To cite: Dawe J, Sutherland C, Barco A, *et al*. Can social robots help children in healthcare contexts? A scoping review. *BMJ Paediatrics Open* 2018;**0**:e000371. doi:10.1136/bmjpo-2018-000371

Received 14 September 2018
Revised 13 December 2018
Accepted 14 December 2018



© Author(s) (or their employer(s)) 2018. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Department of Psychological Medicine, Faculty of Medical and Health Sciences, The University of Auckland, Auckland, New Zealand

²Department of Electrical and Computer Engineering, Faculty of Engineering, The University of Auckland, Auckland, New Zealand

³Department of Communication Science, Faculty of Social and Behavioural Sciences, University of Amsterdam, Amsterdam, The Netherlands

Correspondence to

Dr Elizabeth Broadbent; e.broadbent@auckland.ac.nz

ABSTRACT

Objective To review research on social robots to help children in healthcare contexts in order to describe the current state of the literature and explore future directions for research and practice.

Design Scoping review.

Data sources Engineering Village, IEEE Xplore, Medline, PsycINFO and Scopus databases were searched up until 10 July 2017. Only publications written in English were considered. Identified publications were initially screened by title and abstract, and the full texts of remaining publications were then subsequently screened.

Eligibility criteria Publications were included if they were journal articles, conference proceedings or conference proceedings published as monographs that described the conceptualisation, development, testing or evaluation of social robots for use with children with any mental or physical health condition or disability. Publications on autism exclusively, robots for use with children without identified health conditions, physically assistive or mechanical robots, non-physical hardware robots and surgical robots were excluded.

Results Seventy-three publications were included in the review, of which 50 included user studies with a range of samples. Most were feasibility studies with small sample sizes, suggesting that the robots were generally accepted. At least 26 different robots were used, with many of these still in development. The most commonly used robot was NAO. The evidence quality was low, with only one randomised controlled trial and a limited number of experimental designs.

Conclusions Social robots hold significant promise and potential to help children in healthcare contexts, but higher quality research is required with experimental designs and larger sample sizes.

INTRODUCTION

Social robots are increasingly being developed, tested and used in healthcare contexts.^{1–3} Although in relative infancy, social robotic technology holds the potential to assist the healthcare system, helping to meet high healthcare demands and to enhance and support care.^{3,4} Children present unique care needs and social robots may provide a useful platform through which these needs can be met.^{1,5} Illness can remove children from their normal social networks and pose challenges for coping with treatment and lifestyle changes. Robots could assist children

What is already known on this topic?

- ▶ Many research teams are building robots to help care for the growing ageing population.
- ▶ Preliminary studies provide evidence that robots can provide companionship for older people.
- ▶ Robots may also be suitable for children in hospital.

What this study hopes to add?

- ▶ This review shows that research into companion robots for children in health contexts is increasing.
- ▶ Robots are being developed especially for children with disabilities and impairments, hospitalised children and those with chronic health conditions.
- ▶ Preliminary feasibility studies are promising but higher quality trials are needed.

managing chronic illness through education and encouragement to perform healthy behaviours, help distract children coping with acute medical procedures or provide companionship and comfort. In recent years, there has been considerable interest in the application of social robots to the care of the elderly (eg, see Bemelmans *et al*, Mordoch *et al* and Robinson *et al*^{6–8}), and recently a scoping review was published in this area.⁹ However, research into the application of social robots to help children in healthcare contexts is at an emergent stage^{1,10} and has not yet been reviewed.

This scoping review was thus conducted to investigate how social robots have been used to help children in healthcare contexts, in order to clarify and summarise the current state of the literature and to contribute to the facilitation of ongoing research and potential clinical applications. Specifically, the review aims to determine the types of studies that have been conducted, the health conditions that social robots are used with or intended for use with, the types of robots used, the purposes the robots serve, the effectiveness of the robots, how the area of research has developed over time and the gaps that remain in the research. This is a high-level review

summarising the field, and it includes a broad range of study designs. It is not a systematic review and does not focus on a narrow range of quality-assessed studies.

METHODS

A scoping review was conducted that investigated the use of social robots for children in healthcare applications. The research question was ‘Can social robots help children in healthcare contexts?’. Guidelines were consulted on conducting systematic scoping reviews.¹¹ We used an electronic search strategy of relevant databases, but reference lists were not searched. Ethical approval was not required.

Search strategy

Publications were identified through searching the electronic databases of Engineering Village, IEEE Xplore, Medline, PsycINFO and Scopus. The search was limited to publications published in English, published until 10 July 2017. The following search strategy was used in Scopus, and this search pattern was adapted to suit the requirements of each database: ((robot*) AND (hospital* OR health* OR clinic* OR treatment* OR therap* OR patient* OR outpatient* OR rehab*)) AND (child* OR pediatric* OR paediatric* OR adolesc* OR teen*) AND NOT (surg*). Relevant subject headings were selected in each database in addition to the use of keywords, and an age limit of 0–18 years was applied.

Screening

After duplicate records were removed, two authors independently screened the titles, abstracts and keywords against the eligibility criteria. Full texts for the remaining publications were obtained and screened by the same two authors. Any differences were resolved through consultation with a third author.

Eligibility

Publications were included if they were journal articles, conference proceedings or conference proceedings published as monographs, before 10 July 2017, written in English. Book chapters, monographs that were not published conference proceedings and reviews were excluded. Included publications described the conceptualisation, development, testing or evaluation of social robots for children (aged 0–18 years) with any kind of mental or physical health condition or disability. Publications focusing exclusively on autism were excluded as this has been reviewed previously^{12 13}; however, publications focusing on the broader classification of neurodevelopmental disorders were included. Publications on preventative health behaviours in children without identified health conditions were excluded, as were publications concerning social robots in the context of normative child development. A social robot was conceptualised as a physical electromechanical entity capable of or perceived as capable of sensing and moving, as well as

forming a friendly companionship with humans. Purely physically-assistive mechanical robots and surgical robots were excluded, as well as virtual reality. Publications were not excluded on the basis of methodological quality due to the emergent nature of the field.

Data extraction and synthesis

Data were extracted by two authors (JD and AB) using a predetermined spreadsheet. Variables extracted were study type, country, whether a user study was conducted, study setting, outcomes considered, findings, target population, sample, number and age of participants, type of robot, control of robot and purpose of the robot. Unlike a systematic review, a scoping review does not aim to synthesise evidence but to present a narrative account, and the results are described in sections aligning with the aims.

Patient and public involvement statement

Patients and public were not involved in this review.

RESULTS

Study selection

The initial search produced a total of 4179 results. Once duplicates were removed, 1961 publications remained. Initial screening of the titles and abstracts resulted in a working pool of 520 publications. Titles and abstracts were thoroughly screened according to the full eligibility criteria, resulting in 83 publications for which full texts were obtained. Screening full texts resulted in a final 73 publications (see [figure 1](#) and [table 1](#)). Of the 73 publications included, 53 were conference proceedings, six were conference proceedings published as monographs and 14 were journal articles.

Types of studies conducted

Publications consisted of technical development papers alone (n=17), technical development papers with a user study (mostly feasibility studies) (n=17), feasibility studies alone (n=13), experimental designs (n=11), discussion papers (n=4), discussion papers with user study (n=3), single-subject designs (n=2), randomised control trials (RCTs) (n=1), case-studies (n=2), interview/focus group studies (n=1) and study proposals (n=2) (see [table 1](#)).

Countries

Twenty-three countries were included (see [table 1](#) and [figure 2](#)). Most publications came out of Italy, the Netherlands, or Spain, and some publications included more than one of these countries. This may reflect greater funding or interest in this area of research in these countries compared with elsewhere.

User studies

The majority of publications included a user study (n=50) ([table 2](#)), four proposed a user study and four consulted users.




Figure 1 Preferred Reporting Items for Systematic Reviews and Meta-Analyses 2009 flow diagram.

Health conditions social robots are used with

Target populations

Disabilities and impairments comprised the largest grouping (n=27) (see [table 1](#)). Cerebral palsy featured in nine of these publications, with other identified groups including cognitive, physical and neurodevelopmental disabilities, traumatic brain injury and communication impairments.

Other common target populations were hospitalised children (n=18), diabetes (n=15), cancer (n=3), children attending medical appointments (n=3) and children unable to attend school (n=2). Less common target populations featuring only once included anxiety, myalgic encephalomyelitis, disruptive behaviour problems, users in socially difficult environments and obesity.

Samples

There was considerable overlap between target populations and the samples employed, although children without identified health conditions were sometimes sampled despite not being the target end-users (n=5). In some cases, the sample was described only as ‘children’ (n=2). The age range varied from 1 to 18 years. The number of participants ranged from 2 to 70 (see

[figure 3](#)). The majority reported small sample sizes (see [table 2](#)).

Setting

Hospitals (n=11), rehabilitation clinics/centres (n=10) and schools (n=7) were the most common settings. Robots that served a telepresence purpose were used across hospitals, homes and schools (n=3). Additional settings included medical centres (n=2), laboratories (n=3), diabetes summer camps (n=2), a clinical training centre (n=1), an institute for cerebral palsy (n=1), a dental clinic (n=1), inpatient and outpatient clinics (n=2) and event days at a university and museum (n=2). In some cases, multiple settings were utilised (n=2) or the setting was not specified (n=4).

Types of robots used

Twenty-six different robots were used (see [table 1](#)), ranging in stage of development from concept formulation through to commercially available models. The humanoid NAO robot was the most common (n=29). IROMEC robot was the second most common robot (n=8), used exclusively with children with disabilities and impairments. Some other robots identified were Pleo,

Table 1 Summary of included publications, with authors and country, study type, target population, robot type and purpose (note: n/a = not applicable)

Source and country	Study type	Target population	Robot(s) and source	Purpose of robot
Cheetham <i>et al</i> , Canada ³³	Technical development	Hospitalised children	PEBBLES Telbotics Inc (Canada)	Telepresence (connect hospitalised children to their classroom, support academic and social tasks)
Fels <i>et al</i> , Canada ³⁴	Case study	Children who cannot physically attend school	PEBBLES Telbotics Inc (Canada)	Telepresence (connect ill child to school/education, be a physical representation of the child, support academic and social tasks)
Kimura <i>et al</i> , Japan ³⁵	Feasibility study	Hospitalised children	AIBO, Necoro cat, Capriro, and other interactive animal soft-toys Sony (Japan), Omron (Japan), Bandai (Japan)	Companion (improve mood and quality of life)
Goris <i>et al</i> , Belgium ³⁶	Technical development	Hospitalised children	Probo, Prototype	Inform, support, comfort
Looije <i>et al</i> , the Netherlands ²⁸	Experimental design (mixed design)	Diabetes, obesity and coeliac	iCat, Phillips Electronics (the Netherlands)	Motivator, educator, companion/buddy
Saldien <i>et al</i> , Belgium ³⁷	Technical development	Hospitalised children	Probo, Prototype	Entertain, communicate, provide medical assistance
Goris <i>et al</i> , Belgium ³⁸	Technical development	Hospitalised children	Probo, Prototype	Entertain/play, communicate/inform, provide medical assistance/comfort
Marti <i>et al</i> , Italy ²¹	Technical development and feasibility study	Disabilities (autistic, motor impaired, intellectual disability)	IROMEC, Prototype	Support and stimulate play in educational/therapeutic settings
Marti <i>et al</i> , Austria, Spain, the Netherlands and UK ³⁹	Technical development	Disabilities (autistic, motor impaired, intellectual disability)	IROMEC, Prototype	Companion (engage child in social interactions, empower discovery of a range of play styles)
Marti <i>et al</i> , Austria, Spain, the Netherlands and UK ⁴⁰	Technical development	Disabilities (autistic, motor impaired, intellectual disability)	IROMEC, Prototype	Companion (engage child in social interactions, empower discovery of a range of play styles)
Bernd <i>et al</i> , the Netherlands ¹⁸	Single-subject design	Intellectual disabilities	IROMEC, Prototype	Support play in an occupational therapy intervention
Böhm <i>et al</i> , Austria ⁴¹	Technical development	Disabilities	IROMEC, Prototype	Support and stimulate play
Saldien <i>et al</i> , Belgium ⁴²	Technical development	Hospitalised children	Probo, Prototype	Interact with hospitalised children
Diaz <i>et al</i> , Spain ¹⁵	Feasibility study	Hospitalised children	NAO and Pleo Softbank robotics (Japan), Innvo labs (Hong Kong)	Companion (improve quality of life)
Klein <i>et al</i> , the Netherlands ⁴³	Single-subject design	Developmental disabilities	IROMEC, Prototype	Support play in an occupational therapy intervention
Lehmann <i>et al</i> , UK ¹⁶	Experimental design (within subjects)	Cognitive disabilities	KASPAR and IROMEC, Prototype	Engage in play, facilitate social interaction, facilitate cognitive and social development
Lu <i>et al</i> , USA ⁴⁴	Technical development and feasibility study	Diabetes	Lego Mindstorm NXT Lego (Denmark)	Companion/pet (reduce anxiety and fear)
Ros Espinoza <i>et al</i> , Italy ⁴⁵	Discussion paper	Diabetes	NAO, Softbank robotics (Japan)	Companion, instructor, playmate (engage child and support self-management, interact with child)
Ros <i>et al</i> , Italy ⁴⁶	Technical development and feasibility study	Hospitalised children	NAO, Softbank robotics (Japan)	Exercise demonstrator, motivator, companion, help develop social skills
Saint-Aimé <i>et al</i> , France ²⁰	Technical development and feasibility study	Hospitalised children/vulnerable children	Emi, Prototype	Companion (provide comfort)
Csala <i>et al</i> , Hungary ⁴⁷	Technical development and feasibility study	Hospitalised children (bone-marrow transplant)	NAO, Softbank robotics (Japan)	Companion (provide motivation and joy)
Looije <i>et al</i> , the Netherlands ²⁹	Experimental design (within subjects)	Diabetes and other chronic conditions	NAO, Softbank robotics (Japan)	Education companion
Nalin <i>et al</i> , Italy ⁴⁸	Discussion paper	Diabetes	n/a	n/a
Barco <i>et al</i> , Spain ⁴⁹	Study proposal	Traumatic brain injury	LEGO Mindstorm NXT, Lego (Denmark)	Cognitive rehabilitation (run activities, monitor performance), pet
Besio <i>et al</i> , Italy ¹⁹	Feasibility study	Disabilities	IROMEC, Prototype	Engage child in play

Continued

Table 1 Continued

Source and country	Study type	Target population	Robot(s) and source	Purpose of robot
Calderita <i>et al</i> , Spain ⁵⁰	Feasibility study	Upper limb motor deficits (cerebral/brachial plexus palsy)	Ursus, Prototype	Therapy tool (playmate); exercise coach, engagement, measure and record data)
Csala <i>et al</i> , Hungary ⁵¹	Feasibility study	Hospitalised children (bone-marrow transplanted)	NAO, Softbank robotics (Japan)	Companion (provide motivation and joy)
De Greef <i>et al</i> , the Netherlands ⁵²	Case study	Diabetes	NAO, Softbank robotics (Japan)	Interact with children
Okita, USA ²⁶	Experimental design	Hospitalised children	Paro, Paro robots (Japan)	Companion (reduce anxiety and pain)
Ryu <i>et al</i> , Korea ⁵³	Technical development	Children who cannot attend school	Robot under development, Prototype	Telepresence (connect ill child to school/education, reduce social isolation)
Alemi <i>et al</i> , Iran ²⁴	Experimental design	Cancer	NAO, Softbank robotics (Japan)	Therapy assistant (information, reduce distress)
Baroni <i>et al</i> , Italy ⁵⁴	Interview/focus groups	Diabetes	NAO, Softbank robotics (Japan)	Companion/peer (support and assist self-management)
Calderita <i>et al</i> , Spain ⁵⁵	Technical development and feasibility study	Neurorehabilitation	THERAPIST, Prototype	Therapy tool (playmate); coach, engagement, measure and record data)
Fridin <i>et al</i> , Israel ²⁷	Technical development and feasibility study	Cerebral palsy	NAO, Softbank robotics (Japan)	Therapy coach/exercise demonstrator (motivation, encouragement, feedback)
Kozyavkin <i>et al</i> , Ukraine ⁵⁶	Feasibility study	Cerebral palsy	KineTron, Robotis (South Korea)	Exercise demonstrator/coach (motivate and encourage)
Krujiff-Korbavová <i>et al</i> , Italy ³⁰	Experimental design (between subjects)	Diabetes	NAO, Softbank robotics (Japan)	Provide long-term support, improve diabetes self-management
Lewis <i>et al</i> , UK ⁵⁷	Technical development	Diabetes	NAO, Softbank robotics (Japan)	Improve diabetes management (confront child, bond with child to increase motivation and engagement)
Malik <i>et al</i> , Malaysia ⁵⁸	Technical development and study proposal	Cerebral palsy	NAO, Softbank robotics (Japan)	Therapy tool (exercise demonstrator, motivator, companion to improve quality of life)
Malik <i>et al</i> , Malaysia ⁵⁹	Study proposal	Cerebral palsy	NAO, Softbank robotics (Japan)	Therapy tool (exercise demonstration, motivation, companion)
Messias <i>et al</i> , Portugal ⁶⁰	Technical development	Hospitalised children	MOnarCH, Prototype	Edutainment
Özkul <i>et al</i> , Turkey ⁶¹	Technical development and feasibility study	Communication impaired	NAO and Robovie, Softbank robotics (Japan), Vstone Ltd (Japan)	Social peer/assistant (motivate, evaluate effort, give feedback, improve learning and recognition rate)
Vélez <i>et al</i> , Ecuador ⁶²	Technical development and feasibility study	Learning and psychosocial disabilities	ROBSNA, Prototype	Interact with children, stimulate play, support special education processes
Albo-Canals <i>et al</i> , Spain ⁶³	Technical development and feasibility study	Hospitalised children	Pleo, Inovo labs (Hong Kong)	Companion (reduce anxiety and stress)
Alotaibi <i>et al</i> , Saudi Arabia ⁶⁴	Technical development	Diabetes	Aisoyl V5 Robot, Aisoy Robotics (Spain)	Improve diabetes management (educate/give advice, motivate, monitor, companion)
Gonçalves <i>et al</i> , Portugal ⁶⁵	Technical development	Hospitalised children	MOnarCH Prototype	Interact with hospitalised children
Jeong <i>et al</i> , USA ⁶⁶	Experimental design	Hospitalised children	Huggable, Prototype	Mitigate stress, anxiety, pain
Köse <i>et al</i> , Turkey ⁶⁷	Feasibility study	Communication impaired	Robovie, Vstone Ltd (Japan)	Social peer/assistant (motivate, evaluate effort, give feedback, improve learning and recognition rate)
McCarthy <i>et al</i> , Australia ⁶⁸	Technical development and study proposal	Rehabilitation	NAO, Softbank robotics (Japan)	Exercise demonstrator, motivator, distractor, monitoring aid
Rabbitt <i>et al</i> , USA ³¹	Experimental design	Disruptive behaviour problems	n/a	Administer cognitively based treatment
Rahman <i>et al</i> , Malaysia ⁶⁹	Feasibility study	Cerebral palsy	NAO, Softbank robotics (Japan)	Exercise demonstrator (motivate and encourage)
Alemi <i>et al</i> , Iran ²⁵	Experimental design	Cancer	NAO, Softbank robotics (Japan)	Therapy assistant (provide information, reduce distress)

Continued

Table 1 Continued

Source and country	Study type	Target population	Robot(s) and source	Purpose of robot
Al-Taei <i>et al</i> , UK ⁷⁰	Feasibility study	Diabetes	NAO, Softbank robotics (Japan)	Diabetes management (educate, motivate, monitor, companion)
Arnold, USA ⁷¹	Technical development	Anxiety	Emobie, Prototype	Companion, communication between children, parents, therapists
Bonarini <i>et al</i> , Italy ⁷²	Technical development and feasibility study	Neurodevelopmental disorders	Teo, Prototype	Therapy-driven game-based activities; free play
Børsting <i>et al</i> , Norway ⁷³	Feasibility study	Myalgic encephalomyelitis/chronic fatigue syndrome	Robot-avatars, Prototype	Telepresence (connect ill child to school/education, reduce social isolation, be a physical representation of the child)
Cañamero <i>et al</i> , Italy ⁷⁴	Discussion paper	Diabetes	NAO, Softbank robotics (Japan)	Improve diabetes management (educate/give advice, motivate, monitor, companion)
Díaz-Boladeras <i>et al</i> , Spain ⁷⁵	Technical development and feasibility study	Hospitalised children	Pleo, Innvo labs (Hong Kong)	Companion (alleviate anxiety, loneliness, stress)
Larriba <i>et al</i> , Spain ⁷²	Technical development	Hospitalised children	Pleo, Innvo labs (Hong Kong)	Reduce pain and anxiety during hospitalisation
Looije <i>et al</i> , the Netherlands ¹⁷	Feasibility study	Diabetes	NAO, Softbank robotics (Japan)	Self-management, educational activities, interact with child
Malik <i>et al</i> , Malaysia ⁷⁶	Feasibility study	Cerebral palsy	NAO, Softbank robotics (Japan)	Therapy coach/exercise demonstrator (motivation)
Marti Carillo <i>et al</i> , Australia ²³	Feasibility study	Cerebral palsy	NAO, Softbank robotics (Japan)	Exercise demonstrator; motivator, companion
Meghdari <i>et al</i> , Iran ⁷⁷	Technical development	Cancer	Dr Arash, Prototype	Interact with hospitalised children and improve quality of life
Neerinx <i>et al</i> , Italy and the Netherlands ⁷⁸	Feasibility study	Diabetes	NAO, Softbank robotics (Japan)	Improve diabetes management
Robles-Bykbaev <i>et al</i> , Ecuador ⁷⁹	Technical development and experimental design	Disabilities and communication disorders	SPELTRA, Prototype	Speech-language therapy tool (exercises, recreational activities, register patient information and results, remote support)
Sequeira <i>et al</i> , Portugal ⁸⁰	Discussion paper	Socially difficult environments	MONarCH, Prototype	Edutainment
Swift-Spong <i>et al</i> , USA ³²	Experimental design	Overweight	NAO, Softbank robotics (Japan)	Exercise buddy
Ullrich <i>et al</i> , Germany ⁸¹	Technical development and interview/focus groups	Children in waiting room prior to medical visit	NAO, Softbank robotics (Japan)	Companion (stimulation, empathy, positive coping)
Yasemin <i>et al</i> , Turkey ⁸²	Experimental design	Dental	IRobi, Yujin Robot (South Korea)	Distract, entertain, relax, reduce anxiety and pain
Blanson Henkemans <i>et al</i> , the Netherlands ⁸³	Discussion paper	Diabetes	NAO, Softbank robotics (Japan)	Improve self-management, interact with children in educational activities, provide emotional support
Blanson Henkemans <i>et al</i> , the Netherlands ¹⁴	Randomised controlled trial (between subjects)	Diabetes and other chronic diseases	NAO, Softbank robotics (Japan)	Improve diabetes management (education, educate, provide pleasure, motivate)
Gelsomini <i>et al</i> , Italy ⁸⁴	Technical development	Neurodevelopmental disorders	Puffy, Prototype	Companion (support education and therapeutic interventions, provide multisensory experience)
Marti Carillo <i>et al</i> , Australia ⁸⁵	Technical development and feasibility study	Cerebral palsy	NAO, Softbank robotics (Japan)	Therapy tool (exercise demonstration, motivation, companion)
Van den Heuvel <i>et al</i> , the Netherlands ⁸⁶	Feasibility study	Physical disabilities	IROMEc, Prototype	Support play




Figure 2 Number of publications by country.

Probo, Robovie, MOnarCH and Paro. Some robots had 'Full' control (no human operator; n=6), 'Goal-based' control (an operator sets a goal but the robot achieves this on its own; n=8), 'None' (no control; n=15) or a combination (n=16). In some cases, control was 'Unknown' (unspecified; n=25) or not applicable (n=2). In one case, the intended level of control was full, but was not implemented (n=1). A distinction was made between on-site (n=27) and off-site (n=6) control.

Purposes the robots serve

The purpose of the robots (see table 1) was most notably to act as a companion, provide comfort, reduce anxiety, pain and distress, express empathy and increase motivation and joy. In some cases, the role was to provide entertainment and/or distraction or be a buddy/peer. Generally, companion robots shared an overarching aim of improving quality of life.

A further purpose was to teach and coach. This involved informational tasks, for example, information provision, exercise demonstration and feedback delivery, as well as more social tasks, for example, providing motivation, encouragement and support throughout teaching. Exercise demonstration was commonly used when the target population was cerebral palsy and was intended to improve physical functioning (n=9). Information provision was more commonly used to help children with diabetes and contribute to disease self-management (n=9).

Another broad purpose was a therapy tool or assistant. In some cases, the robot-administered therapy (both physical and cognitive), but in most cases, the robot was used in conjunction with a therapist and therapy tools. The robots were often used to engage the child in sessions, provide encouragement and stimulate play and social interactions. In some cases, the robots measured, monitored and recorded data.

In four publications, the purpose of the robot was telepresence. This involved connecting an unwell child to school, supporting educational and social tasks, and in

some cases, providing a physical representation of the child in the classroom.

Effectiveness of the robots

Outcomes considered

Outcomes most frequently considered were acceptability, perceptions of the robot, user evaluations, implementation, engagement and observations of the child-robot interaction; thus reflecting the early stage of research (see table 2). Some publications explored users' emotions, for example, anxiety, stress, depression, pain and anger, while others considered physical functioning or performance on learning tasks (eg, number of correct diabetes quiz questions). Other specific outcomes included adherence to a nutritional diary, subjective assessment by a therapist, level of playfulness, neuropsychological performance, communication behaviours, heart rate, satisfaction and enjoyment, empathy, academic performance, the role of the robot in the interaction and challenges encountered.

Findings and conclusions

Most publications reported positive outcomes, including generally high acceptance and liking by children, parents, medical staff, teachers and bystanders. However, these results should be treated cautiously given the predominance of subjective and qualitative data (see table 2).

There was only one RCT,¹⁴ conducted with children who had diabetes, which compared the use of a personal robot, a neutral robot and standard care. Diabetes knowledge significantly improved in both robot groups compared with the control group. The personalised robot group scored higher on self-determination theory determinants, rated the robot as more pleasurable, answered more diabetes quiz questions correctly, were more engaged and were more motivated to play the quiz again, compared with the neutral robot group. This finding that personalisation enhanced the interaction was reflected in other publications. For example, different robots can elicit different roles in the user,¹⁵ users express different preferences to certain robots^{15 16} and different user profiles can be developed to improve child-robot interactions.¹⁷ The few publications that reported negative findings suggested that the robot did not successfully meet the needs of the children and that better matching was required.^{18 19}

Although most publications reported positive outcomes, one study²⁰ found the child-robot interaction to be negative, suggesting that the robot encounter was stressful. Changes to the study protocol (eg, introducing the child to the robot in a group context rather than alone) were suggested to resolve this issue.

Some publications explored implementability and technical functioning, identifying challenges including time and assistance required by a therapist, the robot falling over and halting interaction and difficulty with speech interpretation.²¹⁻²³ A predominant conclusion drawn was

Table 2 Results from user studies included in the review, including participant details, outcome studied and findings (note: n/a = not applicable)

Source	Sample; participant number; age*	Outcomes considered	Findings/conclusions
Cheetham <i>et al</i> ³³	n/a (reported elsewhere)	Robot implementability; user evaluation; technical issues	Robots successful in providing telepresence; some technical issues
Fels <i>et al</i> ³⁴	Chronic renal failure; n=3; 9–12 years	Behavioural outcomes (communication, concentration, initiative); perceptions of the robot (by children, parents, and staff); academic performance	Communication and initiative behaviours occurred at high frequencies for short durations, concentration behaviours remained consistently high; trend towards less communication interactions over time; most reported positive perceptions of robot
Kimura <i>et al</i> ³⁵	Hospitalised children; unknown; 1–19 years	Children's mood; how children interacted with robot; human companion in the interaction; user evaluation; communications between staff, children and parents	Children's mood improved; human companion enhanced the child–robot interaction; communications between inpatient children and staff increased
Looije <i>et al</i> ²⁸	Children without identified health conditions; n=24 (20); 8–9 years	User evaluation (fun, acceptance, empathy, trust); performance (efficiency, learning effect)	Children valued physical and virtual iCat more than text interface, interacted faster with iCat character compared with text interface; All interfaces rated highly; Suggests iCat useful to implement and test
Marti <i>et al</i> ²¹	Disabilities; n=5; 6–11 years	Usability; acceptability; suitability to achieve learning objectives	Children were interested in engaging with robot and understood tasks; several technical issues; robot played a different role in group vs. individual sessions and stimulated different interactions; Robot not perceived as a social agent due to its functional design
Bernd <i>et al</i> ¹⁸	Intellectual disabilities; n=3; 3–5 years	Playfulness of children; children's functioning; user evaluation (by the therapists)	Playfulness scores varied — no significant difference between robot and traditional therapy sessions; robot evaluation scores both increased (2/3 children), and decreased (1/3); Therapist evaluations suggested robot appreciated by therapist and children, robot added value but better matching to children's needs required
Diaz <i>et al</i> ¹⁵	Children without identified health conditions; n=37†; 11–12 years	Children's interaction with the robots (attitudes, preferences, behaviours, attributions and roles)	Robot features effect children's preferences, perceptions and expectations, which influences their interactions via role attribution; different responses were elicited for each robot: appearance and purpose of robot should be considered during design
Klein <i>et al</i> ⁴³	Developmental disabilities; n=3; 3–5 years	Playfulness of child; functional behaviour of child; subjective assessment of the robot by the therapist	Robot partly met needs of the children and therapists; positive impact on play found for two children; robot may be useful in supporting children with developmental disabilities by enriching play, but long-term effect unknown
Lehmann <i>et al</i> ¹⁶	Cognitive and social disabilities; n=10; average 8.3 years	Educational objectives achieved by the children; comparison of the interactions with different robots	Only preliminary analyses presented: robots appear to have positive influence on development; preferences and level of success for the different play scenarios and robots differed by child; potential for robots as therapeutic tools
Lu <i>et al</i> ⁴⁴	Unknown; unknown; 3–7 years	Children's enjoyment of robot companion	n/a (study not completed)

Continued

Table 2 Continued

Source	Sample; participant number; age*	Outcomes considered	Findings/conclusions
Ros Espinoza <i>et al</i> ⁴⁵	Diabetes; N and age reported elsewhere	Discusses observations, challenges and lessons learnt from previous studies	Child–robot studies require careful thought
Ros <i>et al</i> ⁴⁶	Diabetes; n=2; 7 and 11 years	Observations of the child–robot interactions	Robot should be designed to adapt to user's capabilities; children enjoyed the robot
Saint-Aimé <i>et al</i> ²⁰	Children without identified health conditions; n=13; 3–5 years	Quality of the child–robot interaction	Robot did not achieve companion goal; encounter may have been stressful; questionnaire data contradicted observational data; suggested improvements for robot and study protocol
Csala <i>et al</i> ⁴⁷	Hospitalised children; n=3; 4–14 years	Could robot be implemented; acceptance of robot; user evaluation of the robot	Robot accepted by the children, positive feedback from children, staff and parents; robot appropriate for environment; suggested improvements
Looije <i>et al</i> ²⁹	Children without identified health conditions; n=11 (10); average 11.1 years	Learning/performance; attention; motivation	No differences between robot and virtual agent on learning task or motivation; robot attracted more attention than virtual agent, preferred by the children; robot has potential as learning companion
Besio <i>et al</i> ¹⁹	Cerebral palsy; n=4; 4–8 years	Prompts provided by therapist during the child–robot interaction (intensity, type, goal)	Number of prompts to help child understand how to play with robot decreased across sessions; prompts for playfulness and engaging the child remained constant; suggests robot not of added value in therapy, as robot did not meet play needs of the children
Calderita <i>et al</i> ⁶⁰	Upper limb motor deficits; n=6; 3–7 years	Motor function; satisfaction (of child); acceptability of the robot/user evaluation (from children, parents and staff)	Only preliminary results presented: physical appearance of robot satisfactory; children found sessions enjoyable and motivating; staff found sessions positive and recorded data was useful; a high level of engagement achieved, with motivation and adherence to treatment maintained
Csala <i>et al</i> ⁵¹	Hospitalised children; unknown N and age	n/a	Initial feedback positive
De Greef <i>et al</i> ⁶²	Hospitalised children; n=13; 7–11 years	Interaction and engagement with the robot; preferences of activities to engage in with the robot	Only preliminary results presented: typically children were engaged with the robot; children had varying approaches to switching between activities
Okita ²⁶	Hospitalised children; n=36; 6–16 years	Pain ratings (by child, and by parent); children's and parents' anxiety (positive and negative emotional traits)	Greater decreases in pain and anxiety for children who interacted with the robot together with their parents than those without their parents
Alemi <i>et al</i> ²⁴	Cancer; n=11 (6); 6–10 years	Anxiety; anger; depression,	Children in experimental group had reductions in anxiety, anger and depression compared with control
Baroni <i>et al</i> ⁵⁴	Diabetes; n=70; 9–13 years	Suggestions from children with diabetes, siblings and parents about how robot could provide support	Robot used for entertainment, self-management support, knowledge, increasing self-confidence and motivation, as a sensitive listener, and to attract attention

Continued

Table 2 Continued

Source	Sample; participant number; age*	Outcomes considered	Findings/conclusions
Calderita <i>et al</i> ⁶⁵	Children without identified health conditions; n=35; 4–9 years	Perception of the robot as a social entity or artificial machine (by child); robot behaviour and attitude (by independent observer); observations of the interaction	Children perceived robot as a social rather than artificial entity; interaction was usually fluent; enjoyment and neutral states were the most frequently displayed, with boredom present at the beginning of sessions; most of the time children played with robot
Fridin <i>et al</i> ⁶⁷	Cerebral palsy and children without identified health conditions; n=25 (23); mean age 5.7 (cerebral palsy); 3.3 years (without identified conditions)	Interaction level; motor performance	Children with cerebral palsy had higher interaction level with the robot but worse motor performance compared with typically developing children; robot was feasible for use with pre-school aged children, able to engage and motivate children with cerebral palsy to engage in exercises
Kozyavkin <i>et al</i> ⁶⁶	Cerebral palsy; n=6; 4–9 years	User evaluation of the robot (via interview with children and their parents)	All children liked rehabilitation sessions with the robot and would like it in future sessions; suggestions for improvement offered by parents
Kruiff-Korbayová <i>et al</i> ³⁰	Diabetes; n=59; 11–14 years	Effect of off-activity talk (OAT) on perception of the robot, interest in further engagement and adherence to nutritional diary	No effect of OAT on children's perception of robot or adherence to nutritional diary; OAT and NOAT conditions combined had increased adherence compared with control condition; OAT condition more interested to have another session with robot compared with no OAT condition
Özkul <i>et al</i> ⁶¹	Hearing impaired; n=31; 7–16 years	Recognition rate/error rate by platform and sign, user evaluation	Some differences between preferred robot; some signs were better recognised than others; children with different levels of hearing impairment and sign language ability were motivated to play the games; Support for use of game to increase recognition rate
Vélez <i>et al</i> ⁶²	Children (non-specified); n=3; 3–6 years	Empathy and apathy level (specifically by measuring aspect, voice and movements)	Child–robot interaction in all cases manifested as empathy (not apathy); suggested children found the robot appearance likeable
Albo-Canals <i>et al</i> ⁶³	Unknown	n/a	Enhancing child–robot interaction engagement through cloud connectivity can improve use of robot in treatment
Jeong <i>et al</i> ⁶⁶	Hospitalised children; n=4; 5–10 years	Behaviours of children and parents during robot and virtual character interactions	Preliminary qualitative results suggest preference for robot but more data and analyses required
Köse <i>et al</i> ⁶⁷	Hearing impaired; n=31; 7–16 years	Recognition rate/error rate by platform and sign; user evaluation	Some differences between preferred robot; some signs better recognised than others; children with different levels of hearing impairment and sign language ability were motivated to play with robots; physical embodiment of robot can improve children's performance, engagement and motivation
Rahman <i>et al</i> ⁶⁹	Cerebral palsy; n=2; 9 and 13 years	Clinical experiences; challenges encountered	Potential for use of robot in rehabilitation; challenges identified (eg, difficulty for the robot in interpreting child with speech impediment, need for therapist assistance, etc)

Continued

Table 2 Continued

Source	Sample; participant number; age*	Outcomes considered	Findings/conclusions
Alemi <i>et al</i> ²⁵	Cancer; n=11 (10); 7–12 years	Anxiety; anger; depression	Children in the experimental group showed reductions in anxiety, anger and depression, compared with control
Al-Taei <i>et al</i> ⁷⁰	Diabetes; n=37; 6–16 years	Acceptability of robot; user evaluation of the robot (what features were desirable)	Robot accepted by patients and parents, some differences between age groups; ability for blood glucose advice was desirable; companion function was less desirable
Bonarini <i>et al</i> ⁷²	Neurodevelopmental disorders; n=11 †; 3 years and 6–10 years	Observed behaviours/responses of the children	Preliminary support that robot elicits social interaction, operational behaviours and emotional responses and robot may be integrated into neurodevelopmental disorder therapy
Børsting <i>et al</i> ⁷³	Myalgic encephalomyelitis/chronic fatigue syndrome; n=9 (2); 12–16 years	Access to school and social participation; robot implementation; user evaluation of robot (with children, parents and teachers)	Generally positive feedback provided, suggested robot could connect child to school and social relations; some technical issues
Cañamero <i>et al</i> ⁷⁴	Diabetes; n=17; unknown age	Discusses user evaluation and implementability	Initial pilot interactions positive
Díaz-Boladeras <i>et al</i> ⁷⁵	Inpatient and outpatient children; n=unknown†; 2–13 years	Implementation of the robot; interactions with the robot; user evaluation of the robot	Robot found to mediate and facilitate interactions between different participants; Robot took on role of distractor, toy and companion
Larriba <i>et al</i> ²²	Hospitalised children; unknown N and age	Technical functioning of the robot; observations of the robot interactions	Wireless communication between robot and Android device was achieved; some issues remain (eg, lack of robustness and reactivity)
Looije <i>et al</i> ¹⁷	Diabetes; n=17; 6–10 years	Evaluation of the robot and scenarios used; how the child interacted with the robot; perceptions of the robot (from children, parents, medical staff)	Children, parents, and medical staff had positive experiences with robot; five user profiles were derived to aid further personalisation; conclusive evidence from analysis of specific metrics was not found
Malik <i>et al</i> ⁷⁶	Cerebral palsy; n=2; 5 and 14 years	Gross motor functional measurement, time up and go and trail making test; human–robot interaction attention	Only preliminary results presented; suggests children demonstrated positive responses; study contributed a measurement for attention during human–robot interaction
Martí Carillo <i>et al</i> ²³	Cerebral palsy	Time costs (eg, how long it took to position the robot, place auxiliary aids, help robot keep pace); implementation	Some time costs and issues; physiotherapists willing to implement the robot; patients seemed engaged
Neerincx <i>et al</i> ⁷⁸	Diabetes; n=3, unknown, n=55†; 10–14 years and 8–11 years	Words and behaviours that indicate sentiment and emotion of Dutch and Italian children	Children responded positively to the robot; some cultural differences observed; highlights need for robot to accommodate cultural differences
Robles-Bykbaev <i>et al</i> ⁷⁹	Cerebral palsy and communication disorders; n=29; unknown age	Performance in phonological, morphological and semantic areas of speech therapy	Children adapted quickly to the robot; children in robot group scored better in phonological area than control group; similar results observed in the morphological and semantic areas too, but not statistically significant

Continued

Table 2 Continued

Source	Sample; participant number; age*	Outcomes considered	Findings/conclusions
Sequeira <i>et al</i> ⁶⁰	Hospitalised children; unknown N and age	Robot integration into environment; human-robot interaction; acceptability; user evaluation (children, staff, parents, visitors)	Acceptance of the robot was high; suggests that social robots may be positively used in socially difficult environments
Swift-Spong <i>et al</i> ³²	Overweight; n=22 (18); 11–14 years	Enjoyment of physical activity; intrinsic motivation for physical activity; activity levels; user evaluation (reactions to the robot back stories); other measures not discussed in this paper	No differences found between robot with different backstories; participants reacted positively to the robot as exercise buddy; no differences in preintervention and postintervention assessments, although trend towards increased intrinsic motivation was observed
Yasemin <i>et al</i> ⁸²	Dental; n=33; 4–10 years	Heart rate; affect; treatment willingness	Only preliminary results presented; suggests anxiety and pain during dental treatment was reduced by robot
Blanson Henkemans <i>et al</i> ¹⁴	Diabetes; n=27; 7–14 years	Self-determination determinants (autonomy, competence, relatedness); pleasure; motivation to play quiz; diabetes knowledge; engagement with robot	Diabetes knowledge improved in both robot groups compared with control; personalised robot group higher on self-determination theory determinants, rated robot more pleasurable, answered more diabetes questions correctly, more engaged, more motivated to play the quiz compared with neutral robot group
Martí Carillo <i>et al</i> ⁸⁵	Cerebral palsy; n=39†; unknown and 3–16 years	Phase 1: roles, requirements and acceptability of the robot; phase 2: robot performance/fulfilment of system requirements; perceptions of robot; therapeutic benefit	Phase 1: effective uses of robot established; key roles determined; observations of patients indicated improved compliance with therapist instructions and increased motivation with robot; phase 2: ongoing
Van den Heuvel <i>et al</i> ⁸⁶	Physical disabilities; n=11; 18 months–19 years	Effectiveness of assistive technology; level of playfulness; user evaluation; feasibility; usability; barriers	Robot had positive effect on achieving predetermined goals; children evaluated the interaction positively; playfulness slightly increased; several usability/technical issues identified (eg, instability of the robot).

*Entries with an † indicate there were multiple studies published in the publication. Numbers in brackets are the number of participants that were analysed.




Figure 3 Number of participants in user studies by number of publications.

that further development and testing of the robots was required.

Several studies employed statistical significance testing, and the results are described below. These studies, as well as other non-statistical studies, may help generate more specific hypotheses to be investigated in future controlled study designs, but do not necessarily in and of themselves provide evidence of benefit. One study showed significant reductions in anxiety, anger and depression in patients with cancer in a social robot-assisted therapy group compared with a psychotherapy (control) group.^{24 25} In other work, hospitalised children who interacted with a robot together with their parent demonstrated greater decreases in pain and anxiety compared with those who interacted with the robot alone.²⁶ Children with cerebral palsy had a significantly higher interaction level with an exercise demonstration robot (although worse motor performance) than typically developing children, demonstrating the feasibility of the robot for use as a motivating and engaging therapeutic tool.²⁷ Children interacted significantly faster with robot characters than with a text interface and significantly valued the robot characters more.²⁸ In a related study, children displayed no differences in performance of a learning task or motivation levels when comparing their use of a physical robot or virtual robot, however, the physical robot attracted more attention than the virtual agent and was preferred.²⁹ Robot interactions increased adherence to a nutritional diary compared with a no-robot condition among children with diabetes.³⁰ An online survey about hypothetical robot therapy for children with disruptive behavioural problems found that while the treatment was considered more acceptable than no treatment, it was less acceptable than internet-based treatment.³¹ Other publications conducted significance testing, but did not find significant effects.^{18 32}

How research has developed over time

The number of publications per year has increased from 2000 to 2017, as shown in [figure 4](#) (note, only part of 2017




Figure 4 Number of publications by year of publication.

is included in the review). Four experimental studies were published prior to 2014 and seven were published from 2014 onwards; the randomised trial was published in 2017. This suggests that more robust research methods have been employed over time.

DISCUSSION

Summary of evidence

This review identified 73 studies that explored the use of social robots for children in healthcare applications. Robots were used to serve a range of purposes, including a companion role, teacher/coach, to connect unwell children to school and to assist in therapeutic and educational endeavours. The wide range of target populations highlights many potential applications, in particular for children with disabilities, impairments, and diabetes, who require intensive ongoing care. Although hospitalisation is not necessarily long term, anxiety, pain and distress are often heightened during hospitalisation. There are potential benefits of using social robots if they can help reduce burden in all three of these contexts. Some of the key findings suggest that social robots can help children with diabetes to improve knowledge; reduce anxiety, anger and depression in children with cancer, and engage children with cerebral palsy in exercises to help improve physical functioning.

The humanoid NAO robot was the most widely used, likely due to its commercial availability, ability to be personalised and relatively autonomous capabilities. Its size and appearance makes it appropriate and appealing. The level of control of robots ranged from almost fully autonomous, to entirely controlled by a human operator. There is a clear need for technological developments to increase the autonomy of all of the robots, particularly in speech recognition and speech production.

Limitations

While the publications provide support for the use of social robots to help children in healthcare, the quality of the evidence is low, which represents a significant limitation. Specifically, the lack of RCTs and the minimal number of experimental designs hinder the formation of firm conclusions about efficacy and effectiveness. It

is difficult to determine whether the positive outcomes observed are due to the actions of the robot or some other extraneous variables. For example, the novelty effect of robots must be considered as well as additional attention from researchers or therapists. With longer-term use of robots and increased exposure and integration of robots into society, it is unclear whether the benefits proposed from these early studies will continue, as children may no longer be as easily engaged, motivated, distracted and entertained by this technology.

At the review methodology level, a limitation is that the reference lists of publications were not checked to identify other relevant studies. In addition, papers were limited to the English language, which may have resulted in some missed publications. Formal quality assessment of studies was not performed because scoping studies do not typically aim to assess quality of evidence.

Gaps in the research

A number of gaps exist in research to date. First, more robust methods need to be employed including experiments and randomised trials with larger sample sizes. Second, the effects of humans on the child–robot interaction requires further RCT exploration. Most of the publications did not explicitly comment on the role of humans in facilitating the child–robot interaction, but of those that did, it appears that humans play a key role in influencing the success and outcomes of the interaction. Third, cultural aspects could be considered, as the majority of research has been conducted in Europe, the UK and the USA. The research paradigm is largely from the perspective of human–robot interaction, with the aim to develop and test robots using small feasibility studies, with subjective reports of acceptability the most common outcome. Research is moving towards experimental designs and more robust health outcomes must be included. Future research will benefit from integrating a stronger healthcare perspective.

Implications for practice

At present, robots should be considered as adjunctive, rather than as replacements for human care roles. To date, there is insufficient evidence for further practice recommendations to be made.

CONCLUSION

The results highlight the significant promise and potential held by social robots to help children in healthcare, but demonstrate the need for more and higher quality research. In particular, more RCTs, experimental designs and longer-terms studies are required, with larger sample sizes. There is considerable excitement surrounding the use of robotics in healthcare, but there remains a long way to go in terms of technological developments, integration into the healthcare system and establishment of effectiveness.

Contributors JD made substantial contributions to the acquisition and analysis of data and drafting the work. CS and EB made substantial contributions to the conception of the review, acquisition of funding and revision of the work. AB contributed to the acquisition and analysis of data and revision of the work. All authors approved the final manuscript and agree to be accountable for all aspects of the work.

Funding This review was funded by the CARES Seed Grant, University of Auckland.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

REFERENCES

- Breazeal C. Social robots for health applications. *Paper presented at: 33rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC 2011)*; August 30–September 3, Boston, MA, 2011.
- Dahl T, Boulos M. Robots in health and social care: a complementary technology to home care and telehealthcare? *Robotics* 2013;3:1–21.
- Oborn E, Barrett M, Darzi A. Robots and service innovation in health care. *J Health Serv Res Policy* 2011;16:46–50.
- Mann JA, MacDonald BA, Kuo I-H, et al. People respond better to robots than computer tablets delivering healthcare instructions. *Comput Human Behav* 2015;43:112–7.
- Kuo AA, Etzel RA, Chilton LA, et al. Primary care pediatrics and public health: meeting the needs of today's children. *Am J Public Health* 2012;102:e17–23.
- Bemelmans R, Gelderblom GJ, Jonker P, et al. Socially assistive robots in elderly care: a systematic review into effects and effectiveness. *J Am Med Dir Assoc* 2012;13:114–20.
- Mordoch E, Osterreicher A, Guse L, et al. Use of social commitment robots in the care of elderly people with dementia: a literature review. *Maturitas* 2013;74:14–20.
- Robinson H, MacDonald B, Broadbent E. The role of healthcare robots for older people at home: a review. *Int J Soc Robot* 2014;6:575–91.
- Abdi J, Al-Hindawi A, Ng T, et al. Scoping review on the use of socially assistive robot technology in elderly care. *BMJ Open* 2018;8:e018815.
- Sharkey A, Sharkey N. Children, the elderly, and interactive robots. *IEEE Robotics & Automation Magazine*. New York: IEEE, 2011:18. 32–8.
- Peters MD, Godfrey CM, Khalil H, et al. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc* 2015;13:141–6.
- Cabibihan JJ, Javed H, Ang M, et al. Why Robots? A survey on the roles and benefits of social robots in the therapy of children with autism. *Int J Soc Robot* 2013;5:593–618.
- Pennisi P, Tonacci A, Tartarisco G, et al. Autism and social robotics: a systematic review. *Autism Res* 2016;9:165–83.
- Henkemans OAB, Bierman BPB, Janssen J, et al. Design and evaluation of a personal robot playing a self-management education game with children with diabetes type 1. *Int J Hum Comput Stud* 2017;106:63–76.
- Díaz M, Nuño N, Saez-Pons J, et al. Building up child-robot relationship for therapeutic purposes: from initial attraction towards long-term social engagement. *Paper presented at: IEEE International Conference on Automatic Face & Gesture Recognition and Workshops (FG 2011)*; March 21–25, Santa Barbara, CA, 2011.
- Lehmann H, Iacono I, Robins B, et al. 'Make it move': playing cause and effect games with a robot companion for children with cognitive disabilities. *Paper presented at: 29th Annual European Conference on Cognitive Ergonomics (ECCE 2011)*; August 24–26, Rostock, Germany, 2011.
- Looije R, Neerincx MA, Peters JK, et al. Integrating robot support functions into varied activities at returning hospital visits: supporting child's self-management of diabetes. *Int J Soc Robot* 2016;8:483–97.

18. Bernd T, Gelderblom GJ, Vanstipelen S, *et al.* Short term effect evaluation of IROMEC involved therapy for children with intellectual disabilities. *Paper presented at: Second International Conference on Social Robotics (ICSR 2010)*; November 23-24, Singapore, 2010.
19. Besio S, Carnesecchi M, Converti RM. Prompt-fading strategies in robot mediated play sessions. *Paper presented at: 12th European Conference of the Association for the Advancement of Assistive Technology in Europe (AAATE 2013)*; September 19-22, Algarve, Portugal, 2013.
20. Saint-Aimé S, Grandgeorge M, Le-Pevédic B, *et al.* Evaluation of Emi interaction with non-disabled children in nursery school using wizard of Oz technique. *Paper presented at: IEEE International Conference on Robotics and Biomimetics (IEEE-ROBIO 2011)*; December 7-11, Karon Beach, Thailand, 2011.
21. Marti P, Giusti L, Rullo A. Robots as social mediators: field trials with children with special needs. *Paper presented at: 10th Conference of the Association for the Advancement of Assistive Technologies in Europe (AAATE 2009)*; August 31-September 2, Florence, Italy, 2009.
22. Larriba F, Raya C, Angulo C, *et al.* Externalising moods and psychological states in a cloud based system to enhance a pet-robot and child's interaction. *Biomed Eng Online* 2016;15(S1):S72.
23. Martí Carrillo F, Butchart J, Knight S, *et al.* "Help me help you": a human-assisted social robot in paediatric rehabilitation. *Paper presented at: 28th Australian Conference on Computer-Human Interaction (OzCHI 2016)*; November 29-December 2, Tasmania, Australia, 2016.
24. Alemi M, Meghdari A, Ghanbarzadeh A, *et al.* Effect of utilizing a humanoid robot as a therapy-assistant in reducing anger, anxiety, and depression. *Paper presented at: Second RSI/ISM International Conference on Robotics and Mechatronics (ICRoM 2014)*; October 15-17, Tehran, Iran, 2014.
25. Alemi M, Ghanbarzadeh A, Meghdari A, *et al.* Clinical application of a humanoid robot in pediatric cancer interventions. *Int J Soc Robot* 2016;8:743-59.
26. Okita SY. Self-other's perspective taking: the use of therapeutic robot companions as social agents for reducing pain and anxiety in pediatric patients. *Cyberpsychol Behav Soc Netw* 2013;16:436-41.
27. Fridin M, Belokopytov M. Robotics Agent Coach for CP motor Function (RAC CP Fun). *Robotica* 2014;32:1265-79.
28. Looije R, Neerincx MA, Lange de V. Children's responses and opinion on three bots that motivate, educate and play. *J Phys Agents* 2008;2:13-20.
29. Looije R, van der Zalm A, Neerincx MA, *et al.* Help, I need some body: the effect of embodiment on playful learning. *Paper presented at: 21st IEEE International Symposium on Robot and Human Interactive Communication (2012 RO-MAN)*; September 9-13, Paris, France, 2012.
30. Kruijff-Korbayová I, Oleari E, Baroni I, *et al.* Effects of off-activity talk in human-robot interaction with diabetic children. *Paper presented at: 23rd IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN 2014)*; August 25-29, Edinburgh, UK, 2014.
31. Rabbitt SM, Kazdin AE, Hong JH. Acceptability of robot-assisted therapy for disruptive behavior problems in children. *Arch Sci Psychol* 2015;3:101-10.
32. Swift-Spong K, Ckf W, Spruijt-Metz D, *et al.* Comparing backstories of a socially assistive robot exercise buddy for adolescent youth. *Paper presented at: 25th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN 2016)*; August 26-31, New York, NY, 2016.
33. Cheatham A, Young C, Fels DI. Interface development for a child's video conferencing robot. *Paper presented at: IEA 2000 / HFES 2000 Congress*; July 29-August 4, San Diego, CA, 2000.
34. Fels DI, Waalen JK, Zhai S, *et al.* Telepresence under exceptional circumstances: enriching the connection to school for sick children. *Paper presented at: IFIP TC13 International Conference on Human-Computer Interaction (INTERACT 2001)*; July 9-13, Tokyo, Japan, 2001.
35. Kimura R, Abe N, Matsumura N, *et al.* Trial of robot assisted activity using robotic pets in children hospital. *Paper presented at: SICE Annual Conference (SICE 2004)*; August 4-6, Sapporo, Japan, 2004.
36. Goris K, Saldien J, Vanderborght B, *et al.* The huggable robot Probo: design of the robotic head. *Paper presented at: AISB 2008 Convention*; April 1-4, Aberdeen, Scotland, 2008.
37. Saldien J, Goris K, Vanderborght B, *et al.* On the design of an emotional interface for the huggable robot Probo. *Paper presented at: AISB 2008 Convention*; April 1-4, Aberdeen, Scotland, 2008.
38. Goris K, Saldien J, Lefeber D. Probo, a testbed for human robot interaction. *Paper presented at: Fourth ACM/IEEE International Conference on Human-Robot Interaction (HRI 2009)*; March 11-13, La Jolla, CA, 2009.
39. Marti P, Giusti L, Pollini A. Exploring play styles with a robot companion. *Paper presented at: 18th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN 2009)*; September 27-October 2, Toyama, Japan, 2009.
40. Marti P, Moderini C, Giusti L, *et al.* A robotic toy for children with special needs: from requirements to design. *Paper presented at: IEEE 11th International Conference on Rehabilitation Robotics (ICORR 2009)*; June 23-26, Kyoto, Japan, 2009.
41. Böhm P, Gruber T. A novel HAZOP study approach in the RAMS analysis of a therapeutic robot for disabled children. *Paper presented at: 29th International Conference on Computer Safety, Reliability and Security (SAFECOMP 2010)*; September 14-17, Vienna, Austria, 2010.
42. Saldien J, Vanderborght B, Lefeber D. The social robotplatform Probo. *Paper presented at: 28th Annual European Conference on Cognitive Ergonomics (ECCE 2010)*; August 25-27, Delft, Netherlands, 2010.
43. Klein T, Gelderblom GJ, de Witte L, *et al.* Evaluation of short term effects of the IROMEC robotic toy for children with developmental disabilities. *Paper presented at: IEEE 12th International Conference on Rehabilitation Robotics (ICORR 2011)*, June 29-July 1 Zurich, Switzerland, 2011.
44. S-c L, Blackwell N DEY-L. mediRobbi: An interactive companion for pediatric patients during hospital visit. *Paper presented at: 14th International Conference on Human-Computer Interaction (HCI International 2011)*; July 9-11, Orlando, FL, 2011.
45. Ros Espinoza R, Nalin M, Wood R, *et al.* Child-robot interaction in the wild: advice to the aspiring experimenter. *Paper presented at: 13th International Conference on Multimodal Interaction (ICMI 2011)*; November 14-18, Alicante, Spain, 2011.
46. Ros R, Demiris Y, Baroni I, *et al.* Adapting robot behavior to user's capabilities: a dance instruction study. *Paper presented at: Sixth ACM/IEEE International Conference on Human-Robot Interaction (HRI 2011)*; March 6-9, Lausanne, Switzerland, 2011.
47. Csala E, Németh G, Zainkó C. Application of the NAO humanoid robot in the treatment of marrow-transplanted children. *Paper presented at: 2012 IEEE 3rd International Conference on Cognitive Infocommunications (CogInfoCom)*; December 2-5, Kosice, Slovakia, 2012.
48. Nalin M, Baroni I, Sanna A, *et al.* Robotic companion for diabetic children: emotional and educational support to diabetic children, through an interactive robot. *Paper presented at: 11th International Conference on Interaction Design and Children (IDC 2012)*; June 12-15, Bremen, Germany, 2012.
49. Barco A, Albo-Canals J, Mk N, *et al.* A robotic therapy for children with TBI. *Paper presented at: Eighth ACM/IEEE International Conference on Human-Robot Interaction (HRI 2013)*; March 3-6, Tokyo, Japan, 2013.
50. Calderita LV, Bustos P, Suárez Mejías C, *et al.* Rehabilitation for children while playing with a robotic assistant in a serious game. *Paper presented at: International Congress on Neurotechnology, Electronics, and Informatics (Neurotechnix 2013)*; September 18-20, Algarve, Portugal, 2013.
51. Csala E, Németh G, Zainkó C. Application of the NAO humanoid robot in the treatment of bone marrow-transplanted children (demo). *Paper presented at: 14th Annual Conference of the International Speech Communication Association (INTERSPEECH 2013)*; August 25-29, Lyon, France, 2013.
52. De Greeff J, Janssen J, Looije R, *et al.* Activity switching in child-robot interaction: a hospital case study. *Paper presented at: 5th International Conference on Social Robotics (ICSR)*; October 27-29, Bristol, UK, 2013.
53. Ryu GJ, Kang JB, Kim CG, *et al.* Development of a robot remote support system for student with health impairment. *Paper presented at: Seventh International Convention on Rehabilitation Engineering and Assistive Technology (i-CREATe 2013)*, August 29-31 Gyeonggi-do, South Korea, 2013.
54. Baroni I, Nalin M, Baxter P, *et al.* What a robotic companion could do for a diabetic child. *Paper presented at: 23rd IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN 2014)*; August 25-29, Edinburgh, UK, 2014.
55. Calderita LV, Manso LJ, Bustos P, *et al.* THERAPIST: towards an autonomous socially interactive robot for motor and neurorehabilitation therapies for children. *JMIR Rehabil Assist Technol* 2014;1:1-25.
56. Kozyavkin V, Kachmar O, Ablikova I. Humanoid social robots in the rehabilitation of children with cerebral palsy. *Paper presented at: Eighth International Conference on Pervasive Computing Technologies for Healthcare (PervasiveHealth 2014)*; May 20-23, Oldenburg, Germany, 2014.

57. Lewis M, Cañamero L. An affective autonomous robot toddler to support the development of self-efficacy in diabetic children. *Paper presented at: 23rd IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN 2014)*; August 25-29, Edinburgh, UK, 2014.
58. Malik NA, Yussof H, Hanapiah FA. Development of imitation learning through physical therapy using a humanoid robot. *Paper presented at: International Conference on Robot PRIDE 2013-2014 - Medical and Rehabilitation Robotics and Instrumentation (ConfPRIDE 2013-2014)*; June 21-22, Selangor, Malaysia, 2014.:191-7.
59. Malik NA, Yussof H, Hanapiah FA, et al. Human Robot Interaction (HRI) between a humanoid robot and children with cerebral palsy: experimental framework and measure of engagement. *Paper presented at: 2014 IEEE Conference on Biomedical Engineering and Sciences (IECBES)*; December 8-10, Miri, Malaysia, 2014.
60. Messias J, Ventura R, Lima P, et al. A robotic platform for edutainment activities in a pediatric hospital. *Paper presented at: 2014 IEEE International Conference on Autonomous Robot Systems and Competitions (ICARSC)*; May 14-15, Espinho, Portugal, 2014.
61. Özkul A, Köse H, Yorganci R, et al. Paper presented at: IEEE International Conference on Robotics and Biomimetics (IEEE-ROBIO 2014). *Robostar: an interaction game with humanoid robots for learning sign language*; December 5-10, Bali, Indonesia, 2014.
62. Vélez P, Gallegos K, Silva J, et al. ROBINA: Social robot for interaction and learning therapies. *Paper presented at: 14th Annual Conference on Towards Autonomous Robotic Systems (TAROS 2013)*; August 28-30, Oxford, UK, 2014.
63. Albo-Canals J, Fernández-Baena A, Boldu R, et al. Enhancing long-term children to robot interaction engagement through cloud connectivity. *Paper presented at: 10th Annual ACM/IEEE International Conference on Human-Robot Interaction (HRI 2015)*; March 2-5, Portland, OR, 2015.
64. Alotaibi M, Choudhury I. A social robotics children diabetes management and educational system for Saudi Arabia: system architecture. *Paper presented at: 2015 Second International Conference on Computer Science, Computer Engineering, and Social Media (CSCESM)*; Lodz, Poland, September 21-23, 2015.
65. Gonçalves D, Arsenio A. Human-driven multi-robot design process for social interactions with children on complex environments. *Paper presented at: Sixth International Conference on Automation, Robotics and Applications (ICARA 2015)*; February 17-19, Queenstown, New Zealand, 2015.
66. Jeong S, Logan DE, Goodwin MS, et al. A social robot to mitigate stress, anxiety, and pain in hospital pediatric care. *Paper presented at: 10th ACM/IEEE International Conference on Human-Robot Interaction (HRI 2015)*; March 2-5, Portland, OR, 2015.
67. Köse H, Uluer P, Akalin N, et al. The effect of embodiment in sign language tutoring with assistive humanoid robots. *Int J Soc Robot* 2015;7:537-48.
68. McCarthy C, Butchart J, George M, et al. Robots in rehab: towards socially assistive robots for paediatric rehabilitation. *Paper presented at: 27th Australian Conference on Human-Computer Interaction (OzCHI 2015)*; December 7-10, Melbourne, Australia, 2015.
69. Rahman RAA, Hanapiah FA, Basri HH, et al. Use of humanoid robot in children with cerebral palsy: the ups and downs in clinical experience. *Procedia Comput Sci* 2015;76:394-9.
70. Al-Tae MA, Kapoor R, Garrett C, et al. Acceptability of Robot Assistant in Management of Type 1 Diabetes in Children. *Diabetes Technol Ther* 2016;18:551-4.
71. Arnold L. Emobie: a robot companion for children with anxiety. *Paper presented at: 11th ACM/IEEE International Conference on Human-Robot Interaction (HRI 2016)*; March 7-10, Christchurch, New Zealand, 2016.
72. Bonarini A, Clasadonte F, Garzotto F, et al. Playful interaction with Teo, a mobile robot for children with neurodevelopmental disorders. *Paper presented at: Seventh International Conference on Software Development and Technologies for Enhancing Accessibility and Fighting Info-exclusion (DSAI 2016)*; December 1-3, Vila Real, Portugal, 2016.
73. Børsting J, Culén AL. A robot-avatar: easier access to education and reduction in isolation? *Paper presented at: Eighth International Conference on e-Health (MCCSIS 2016)*; July 1-3, Funchal, Portugal, 2016.
74. Cañamero L, Lewis M. Making new "New AI" friends: designing a social robot for diabetic children from an embodied AI perspective. *Int J Soc Robot* 2016;8:523-37.
75. Díaz-Boladeras M, Angulo C, Domènech M, et al. Assessing pediatric patients' psychological states from biomedical signals in a cloud of social robots. *Paper presented at: XIV Mediterranean Conference on Medical and Biological Engineering and Computing (MEDICON 2016)*; March 31-April 2, Paphos, Cyprus, 2016.
76. Malik NA, Yussof H, Hanapiah FA. Potential use of social assistive robot based rehabilitation for children with cerebral palsy. *Paper presented at: 2016 Second IEEE International Symposium on Robotics and Manufacturing Automation (ROMA)*; September 25-27, Ipoh, Malaysia, 2016.
77. Meghdari A, Alemi M, Khamooshi M, et al. Conceptual design of a social robot for pediatric hospitals. *Paper presented at: Fourth International Conference on Robotics and Mechatronics (ICRoM 2016)*; October 26-28, Tehran, Iran, 2016.
78. Neerinx A, Kaptein R, Oleari E, et al. Child's culture-related experiences with a social robot at diabetes camps. *Paper presented at: 11th ACM/IEEE International Conference on Human-Robot Interaction (HRI 2016)*; March 7-10, Christchurch, New Zealand, 2016.
79. Robles-Bykbaev V, Ochoa-Guaraca M, Carpio-Moreta M, et al. Robotic assistant for support in speech therapy for children with cerebral palsy. *Paper presented at: IEEE International Autumn Meeting on Power, Electronics and Computing (ROPEC 2016)*; November 9-11, Ixtapa, Mexico, 2016.
80. Sequeira JS, Ferreira IA. Lessons from the MONarCH project. *Paper presented at: 13th International Conference on Informatics in Control, Automation and Robotics (ICINCO 2016)*; July 29-31, Lisbon, Portugal, 2016.
81. Ullrich D, Diefenbach S, Butz A. Murphy Miserable robot – a companion to support children's wellbeing in emotionally difficult situations. *Paper presented at: ACM CHI 2016*; May 7-12, San Jose, CA, 2016.
82. Yasemin M, Kasimoğlu Y, Kocaaydin S, et al. Management of dental anxiety in children using robots. *Paper presented at: Ninth International Conference on Advances in Computer-Human Interactions (ACHI 2016)*; April 24-28, Venice, Italy, 2016.
83. Blanson Henkemans OA, Van der Pal S, Werner I, et al. Learning with Charlie: a robot buddy for children with diabetes. *Paper presented at: ACM/IEEE International Conference on Human-Robot Interaction (HRI 2017)*; March 6-9, Vienna Austria, 2017.
84. Gelsomini M, Leonardi G, Degiorgi M, et al. Puffy - an inflatable mobile interactive companion for children with Neurodevelopmental Disorders. *Paper presented at: ACM CHI 2017*; May 6-11, Denver, CO, 2017.
85. Martí Carrillo F, Butchart J, Knight S, et al. In-situ design and development of a socially assistive robot for paediatric rehabilitation. *Paper presented at: ACM/IEEE International Conference on Human-Robot Interaction (HRI 2017)*; March 6-9, Vienna, Austria, 2017.
86. van den Heuvel RJ, Lexis MA, de Witte LP. Can the IROMEC robot support play in children with severe physical disabilities? A pilot study. *Int J Rehabil Res* 2017;40:53-9.