

sample	perm	type
1	1000.0	ML
1	966.0	ML
1	1060.0	ML
1	1050.0	ML
1	1030.0	ML
1	1050.0	ML
1	1040.0	ML
1	955.0	ML
1	950.0	ML
1	1030.0	ML
2	541.0	ML
2	532.0	ML
2	530.0	ML
2	545.0	ML
2	538.0	ML
2	536.0	ML
2	540.0	ML
2	536.0	ML
2	534.0	ML
2	534.0	ML
3	528.0	ML
3	519.0	ML
3	516.0	ML
3	529.0	ML
3	516.0	ML
3	522.0	ML
3	524.0	ML
3	521.0	ML
3	518.0	ML
3	512.0	ML
4	388.0	ML
4	374.0	ML
4	375.0	ML
4	386.0	ML
4	388.0	ML
4	372.0	ML
4	378.0	ML
4	390.0	ML
4	408.0	ML
4	387.0	ML
5	28.9	ALT
5	29.0	ALT
5	28.8	ALT
5	28.6	ALT

5	27.7	ALT
5	29.5	ALT
5	29.3	ALT
5	26.3	ALT
5	28.5	ALT
5	27.3	ALT
6	30.0	ALT
6	28.3	ALT
6	27.4	ALT
6	30.0	ALT
6	26.6	ALT
6	27.7	ALT
6	27.3	ALT
6	28.2	ALT
6	27.6	ALT
6	27.7	ALT
7	23.2	CB
7	17.1	CB
7	23.9	CB
7	19.1	CB
7	18.7	CB
7	21.6	CB
7	23.0	CB
7	23.7	CB
7	24.6	CB
7	21.6	CB
8	21.1	CB
8	25.3	CB
8	22.0	CB
8	25.4	CB
8	22.4	CB
8	21.1	CB
8	21.1	CB
8	22.9	CB
8	25.4	CB
8	21.4	CB
9	64.0	CB
9	63.8	CB
9	77.4	CB
9	82.9	CB
9	69.2	CB
9	63.1	CB
9	74.1	CB
9	63.4	CB
9	61.8	CB

9	81.8	CB
10	36.4	CB
10	46.2	CB
10	51.1	CB
10	37.8	CB
10	55.5	CB
10	48.1	CB
10	43.9	CB
10	54.1	CB
10	43.8	CB
10	46.7	CB
11	45.3	CB
11	34.7	CB
11	35.7	CB
11	48.1	CB
11	43.4	CB
11	44.9	CB
11	39.1	CB
11	46.5	CB
11	34.8	CB
11	43.6	CB
12	48.2	CB
12	48.2	CB
12	49.4	CB
12	47.0	CB
12	48.4	CB
12	49.1	CB
12	49.3	CB
12	47.1	CB
12	47.8	CB
12	48.6	CB
13	244.0	CB
13	242.0	CB
13	231.0	CB
13	222.0	CB
13	225.0	CB
13	233.0	CB
13	243.0	CB
13	244.0	CB
13	230.0	CB
13	234.0	CB
14	49.8	CB
14	49.4	CB
14	48.7	CB
14	39.0	CB

14	43.5	CB
14	49.6	CB
14	44.1	CB
14	45.6	CB
14	40.6	CB
14	44.0	CB
15	37.7	ALT
15	36.9	ALT
15	38.0	ALT
15	37.8	ALT
15	36.8	ALT
15	40.0	ALT
15	39.5	ALT
15	49.0	ALT
15	43.0	ALT
15	39.7	ALT