

BMJ Paediatrics Open

BMJ Paediatrics Open is committed to open peer review. As part of this commitment we make the peer review history of every article we publish publicly available.

When an article is published we post the peer reviewers' comments and the authors' responses online. We also post the versions of the paper that were used during peer review. These are the versions that the peer review comments apply to.

The versions of the paper that follow are the versions that were submitted during the peer review process. They are not the versions of record or the final published versions. They should not be cited or distributed as the published version of this manuscript.

BMJ Paediatrics Open is an open access journal and the full, final, typeset and author-corrected version of record of the manuscript is available on our site with no access controls, subscription charges or pay-per-view fees (<http://bmjpaedsopen.bmj.com>).

If you have any questions on BMJ Paediatrics Open's open peer review process please email info.bmjpo@bmj.com

BMJ Paediatrics Open

COVID-19-related disruptions to routine vaccination services in India: a survey of paediatricians

Journal:	<i>BMJ Paediatrics Open</i>
Manuscript ID	bmjpo-2021-001060
Article Type:	Original research letter
Date Submitted by the Author:	10-Feb-2021
Complete List of Authors:	Shet, Anita; Johns Hopkins University Bloomberg School of Public Health, International Health Dhaliwal, Baldeep; Johns Hopkins University Bloomberg School of Public Health, International Health Banerjee, Preetika; Johns Hopkins University Bloomberg School of Public Health, International Health Carr, Kelly; Johns Hopkins University Bloomberg School of Public Health, International Health DeLuca, Andrea; Amputee Coalition of America Britto, Carl; St John's National Academy of Health Sciences Seth, Rajeev; Bal Umang Drishya Sanstha (BUDS) Parekh, Bakul; Indian Academy of Pediatrics Basavaraj, GV; Indian Academy of Pediatrics Shastri, Digant; Indian Academy of Pediatrics Gupta, Piyush; Indian Academy of Pediatrics
Keywords:	COVID-19, Data Collection, Epidemiology

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

1
2
3 **COVID-19-related disruptions to routine vaccination services in India: a survey of**
4 **paediatricians**
5
6
7

8 Anita Shet¹, Baldeep Dhaliwal¹, Preetika Banerjee¹, Kelly Carr¹, Andrea DeLuca², Carl Britto³,
9 Rajeev Seth⁴, Bakul Parekh⁵, GV Basavaraj⁵, Digant Shastri⁵, Piyush Gupta⁵
10
11
12
13

14 ¹ International Vaccine Access Center, Johns Hopkins Blomberg School of Public Health,
15 Baltimore, USA
16

17 ² Amputee Coalition, Washington DC, USA
18

19 ³ St Johns Research Institute, Bangalore, India
20

21 ⁴ Bal Umang Drishya Sanstha, New Delhi, India
22

23 ⁵ Indian Academy of Pediatrics
24
25
26
27
28
29
30

31 ***Corresponding Author:***

32 Anita Shet, MD. PhD
33

34 International Vaccine Access Center
35

36 Johns Hopkins Blomberg School of Public Health, Baltimore, USA
37

38 Email: ashet1@jhu.edu
39
40
41

42 ***Author contributions***

43 AS, BD, and DS conceived the study with contributions from BP, GVB and PG. BP, PB and AD
44 developed study instruments. PB, BD and KC prepared the dataset, managed data, and
45 conducted the analysis of the data. CB and RS, along with DS, BP, GVB and PG provided critical
46 review of the instruments and pilot testing. AS, BD and PB prepared the first draft of the
47 manuscript. All authors reviewed the drafts of this manuscript and approved the final version
48 for submission.
49
50
51
52
53
54
55
56
57
58
59
60

Funding

The authors gratefully acknowledge partial support from the Johns Hopkins Maternal and Child Health Center, India, as well as support from the Indian Academy of Pediatrics. Grant number is not applicable.

Patient and Public Involvement

This was a survey of professionals, and no patients were involved.

Confidential: For Review Only

1
2
3 **COVID-19-related disruptions to routine vaccination services in India: perspectives from**
4 **pediatricians**
5
6

7
8 **ABSTRACT**
9

10 The COVID-19 pandemic has led to disruptions in essential health services globally. We
11 surveyed pediatric providers in India to understand how COVID-19 control measures may have
12 impacted routine vaccination. Among 424 (survey 1) and 141 (survey 2) respondents
13 representing 21 Indian states, suspension of vaccination services was reported by 33.4% and
14 7.8%, respectively. In April-June 2020, vaccination services dropped by over half in 83.1%,
15 followed by 32.6% in September 2020, indicating slow resumption of services. Concern about
16 vaccine coverage gaps leading to illnesses and deaths was expressed by 76.6%. Concerted
17 multi-pronged efforts are needed to sustain gains in vaccination coverage.
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Background

Essential health services, including routine childhood immunizations have been significantly affected by the COVID-19 pandemic^{1,2}. The nationwide lockdown in India which was implemented on 24 March 2020, possibly slowed the spread of the SARS-CoV-2 virus and averted deaths due to COVID-19³. However the lockdown also resulted in severe movement restrictions and was associated with disruptions in healthcare service provision and health-seeking activities⁴. In order to study how COVID-19 control measures may have impacted routine vaccination during this period, we surveyed pediatric healthcare providers in India at two timepoints, during and after the lockdown. The survey assessed the degree of disruption to vaccination services, explored barriers to healthcare provision, and identified innovative ways to regain losses in vaccination coverage.

Methods

The surveys were jointly developed by Johns Hopkins Bloomberg School of Public Health (JHSPH) and the Indian Academy of Pediatrics (IAP). Survey 1 (April-June 2020) and Survey 2 (September 2020) were launched virtually using Qualtrics, and distributed to a network of pediatricians and other care providers. Surveys were anonymous, and distribution took place via email, text messages, telephone, in-person, and social media platforms such as WhatsApp. This study was reviewed by the JHSPH Institutional Review Board (IRB) and approved as a non-human subjects research (#12405). Responses were analysed using Stata version 15.1.

Results

Survey 1 and 2 recorded 424 and 141 responses respectively, representing 21 Indian states. Majority of the respondents (96.0% and 92.9% respectively) were pediatricians who worked in predominantly urban and private healthcare centers (Table 1). Complete or partial suspension of immunization services at their respective centers was reported by 33.4% (142/424) of respondents. In Survey 1 (April-June 2020), vaccination services dropped by over half in 83.1%, followed by 32.6% in Survey 2 (September 2020). Interruption of vaccine campaigns for measles, rubella, and polio were reported by 37.7% (160/424). Only 38.7% (164/424) of

1
2
3 respondents reported having a plan for catch-up vaccination once these restrictions were
4
5 eased.
6
7

8
9 Notable supply-side (healthcare availability) barriers included low availability of healthcare
10 workers; financial constraints; and limited supplies such as PPE (Figure 1). Barriers to caregiver
11 vaccine uptake included low awareness of service availability; transportation limitations; fear of
12 contracting COVID-19 from a clinical setting; and financial constraints (Table 1). While 61.7%
13 (87/141) of respondents were aware of guidelines on safe provision of vaccinations during the
14 COVID-19 pandemic, 42.5% (60/141) were unaware of national vaccination catch-up programs.
15
16 Perceptions that the lockdown and its after-effects would result in a vaccine coverage gap
17 persisted in up to 76.6% of respondents. Reported suggestions for catch-up vaccinations
18 included setting up localized communications and catch-up campaigns; door-to-door outreach
19 campaigns; use of text messaging immunization campaigns; and, implementing appointment-
20 based, affordable or free immunization visits.
21
22
23
24
25
26
27
28
29

30 31 Conclusions

32
33 Pediatricians and primary care providers in India indicated that substantial vaccination service
34 disruptions were ongoing, and expressed concerns about the long-lasting impact of pandemic-
35 related health access barriers among the population. This study was limited by a small sample
36 size and potential selection bias. The predominance of private practitioners in the survey is not
37 representative of national immunization coverage, which is predominantly offered by the public
38 health sector in India⁵. Nevertheless, a majority of Indian states were represented, and early
39 recovery of disruptions seen in the private sector would be reflected in the public sector as
40 well. While India has made tremendous progress in reducing vaccination inequities in recent
41 years⁶, these gains are now at risk of backsliding as a result of pandemic-related disruptions.
42
43 The way forward should include an increased focus on catch-up campaigns, strong government
44 engagement, effective surveillance, and clear public health messaging, as these are critical to
45 restoring immunization and essential services for women and children.
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1: Survey respondents' characteristics and perceptions around routine vaccination in the context of COVID-19, April-June 2020 (Survey 1) and September 2020 (Survey 2)

	Survey 1	Survey 2
	n = 424	n = 141
	n (%)	n (%)
<i>Medical Speciality</i>		
Pediatrician or primary care physician	408 (96.2)	136 (96.5)
Public health researcher / policy worker	5 (1.2)	3 (2.1)
Missing	11 (2.6)	2 (1.4)
<i>Participated in Survey 1</i>		
	N/A	60 (42.6)
<i>Institution/organization type</i>		
Public	32 (7.5)	28 (19.8)
Private	369 (87.0)	102 (72.3)
Missing/other	23 (5.4)	11 (7.8)
<i>Location type</i>		
Urban	363 (85.6)	104 (73.7)
Rural and semi-rural	24 (5.6)	35 (24.8)
Missing	37 (8.7)	2 (1.4)
<i>Current volume of those seeking childhood vaccines (as proportion of pre-pandemic volume)</i>		
80-100%	7 (1.8) ^b	28 (19.8)
50-79%	25 (6.3) ^b	28 (19.8)
25-50%	168 (42.4) ^b	35 (24.8)

<25%	161 (40.7)	11 (7.8)
Missing	35 (8.8)	39 (27.7)

Reported barriers to caregiver demand

Unaware services are available	91 (21.4)	33 (23.4)
Only coming in for emergencies	73 (17.2)	N/A ^a
Transportation barriers	165 (38.9)	47 (33.3)
Afraid of contracting COVID-19	176 (41.5)	91 (64.5)
Financial constraints	N/A	48 (34.0)

Awareness and availability of a catch-up vaccination plan

Yes	164 (38.7)	39 (27.6)
No	75 (17.6)	30 (21.2)
Don't know	108 (25.4)	60 (42.5)
Missing	77 (18.1)	12 (8.5)

What is the long-term impact of pandemic disruptions?

No impact	16 (3.7)	4 (2.8)
Temporary vaccine coverage gap	203 (47.9)	108 (76.6)
Vaccine-preventable outbreaks	137 (32.3)	35 (24.8)
Reduced health services leading to non-COVID-19 illness and death	116 (27.3)	40 (28.3)


^a N/A – not applicable as the question was not asked

^b This question was asked to a subset of respondents, and hence the denominator was 396

References

1. Chandir S, Siddiqi DA, Setayesh H, Khan AJ. Impact of COVID-19 lockdown on routine immunisation in Karachi, Pakistan. *The Lancet Global health* 2020; **8**(9): e1118-e20.
2. McHomvu E, Mbunda G, Simon N, et al. Diagnoses made in an Emergency Department in rural sub-Saharan Africa. *Swiss Med Wkly* 2019; **149**: w20018.
3. Laxminarayan R, Jameel S, Sarkar S. India's Battle against COVID-19: Progress and Challenges. *Am J Trop Med Hyg* 2020; **103**(4): 1343-7.
4. Coronavirus COVID-19 Global Cases by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University, Available at <https://coronavirus.jhu.edu/map.html> Time Series data available at: https://github.com/CSSEGISandData/COVID-19/tree/master/csse_covid_19_data/csse_covid_19_daily_reports. Accessed on 29 March 2020.
5. Chokshi M, Patil B, Khanna R, et al. Health systems in India. *J Perinatol* 2016; **36**(s3): S9-s12.
6. Gurnani V, Haldar P, Aggarwal MK, et al. Improving vaccination coverage in India: lessons from Intensified Mission Indradhanush, a cross-sectoral systems strengthening strategy. *BMJ* 2018; **363**: k4782.

Figure 1: Reported supply-side barriers to routine immunization services, Survey 2, September 2020



Impact on Routine Vaccination Services in the era of COVID-19

Start of Survey

Introduction **Impact on Routine Vaccination Services in the era of COVID-19** Nations all over the world are implementing measures to mitigate the spread of the COVID-19 pandemic. While the global scientific community is making concerted efforts to come up with a vaccine that can prevent or limit the spread the infection, we are examining existing immunization systems that have played a crucial role in preventing millions of vaccine-preventable deaths.

We would like to assess the impact of control measures implemented nationally on routine vaccination services. This survey has 15 questions and should take less than 10 minutes of your time. The data will be anonymized and will not be attached to your institution or organization.

We are grateful to you for your help and for coming together to protect our essential health services!

1. a) To help us interpret your responses, please tell us about yourself:

- Institution/Organization (1)
- Title/Position (2)
- Location (City/Town) (3)
- Location (State) (10)
- Country (9) _

1. b) Please describe your institution/ organization type:

- Public (1)
- Private (2)

1
2
3
4 **1. c) Please describe your location type:**
5
6

7 Urban (1)
8

9 Rural (2)
10
11
12 -----
13

14 **2. What is your primary area of work?**
15
16

17 Physician/medical officer (1)
18

19 Other health worker (2)
20

21 Scientist/Researcher (3)
22

23 Public policy worker/officer (4)
24

25 ANM or Community Health Worker (CHW) (5)
26

27 Other, specify: (6) _____
28
29
30
31
32 -----
33

34 **3. Where do people in your catchment area come from for vaccinations. Please select**
35 **all that apply.**
36
37

38 Tertiary Hospital (1)
39

40 Secondary-level hospital (district hospital/nursing home) (2)
41

42 Primary health care center (urban) (3)
43

44 Primary health care center (rural) (4)
45

46 Private clinic (urban) (5)
47

48 Tenement housing (slums) or marginalized communities (7)
49

50 Other (specify): (6) _____
51
52
53
54
55
56 -----
57
58
59
60

1
2
3
4 **4. How involved are you in vaccination services at your clinic/hospital? Please select all**
5 **that apply.**
6

- 7
8 Provide vaccination services on a daily/routine basis (1)
9
10 Involved in special campaigns of vaccinations (2)
11
12 Involved in oversight of vaccination services (3)
13
14 Not directly involved but services are routinely available at my healthcare facility (4)
15
16 Not routinely involved in vaccination services (5)
17
18 Other (specify): (6) _____
19
20
21
22
-

23
24
25 **5. Do you provide vaccinations in your clinic/institution/healthcare center?**
26

- 27
28 Yes (1)
29
30 No (2)
31
32
-

33
34 *Display This Question:*

35
36 *If Do you provide vaccinations in your clinic/institution/healthcare center? = Yes*
37

38
39 **5a. Do you see a similar number of children under 5 years receiving vaccinations across**
40 **all months of the year (i.e. little variability in average numbers)?**
41

- 42 Yes (1)
43
44 No, the number of children vaccinated varies every month (2)
45
46
47
-

48
49 *Display This Question:*

50
51 *If Do you see a similar number of children under 5 years receiving vaccinations across all months*
52 *of... = Yes*
53
54
55
56
57
58
59
60

1
2
3 **5b. How many children under 5 years are typically given vaccinations where you provide**
4 **care per month? Please enter average number of children vaccinated per month)**
5
6
7 _____
8
9 -----

10 *Display This Question:*

11 *If Do you see a similar number of children under 5 years receiving vaccinations across all months*
12 *of... = No, the number of children vaccinated varies every month*
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Confidential: For Review Only

1
2
3 **5c. Please provide estimates for how many children under 5 years are typically given**
4 **vaccinations where you provide care per month. Please enter estimated number**
5 **vaccinated in your clinic/ institution / healthcare center.**
6

	Fewer than 10 (1)	10 to 49 (2)	50 to 99 (3)	100 to 499 (4)	500 or more (5)	
7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60	January (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
February (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
March (3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
April (4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
May (5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
June (6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
July (7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
August (8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
September (9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
October (10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
November (11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
December (12)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

1
2
3 **6. Have vaccination services been suspended in your clinic/institution/healthcare center?**
4

5 Yes (1)
6

7 No (2)
8
9

10 -----
11
12 *Display This Question:*

13 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = Yes*
14

15
16 **6a. Have vaccination services been FULLY or PARTIALLY suspended where you typically**
17 **provide care?**
18

19 Fully suspended (please add description) (1)
20 _____
21

22 Partially suspended (please add description) (2)
23 _____
24
25

26 -----
27
28 *Display This Question:*

29 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = Yes*
30

31
32
33 **6b. Since when have vaccination services in your area been fully or partially**
34 **suspended?**
35

36 Prior to lockdown (specify if possible) (1)
37 _____
38

39 25 March 2020 (day of lockdown) (2)
40

41 After lockdown (specify if possible) (3)
42 _____
43
44

45 -----
46
47 *Display This Question:*

48 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = No*
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **6c. If your clinic is open, are you seeing the same number of patients as before?**
4

- 5 Yes (1)
6
7
8 No, we see between 99% - 80% of the previous patient volume (2)
9
10 No, we see between 79% - 50% of the previous patient volume (3)
11
12 No, we see less than 50% of the previous patient volume (4)
13
14 Other, specify: (7) _____
15
16
17
-

18
19
20 *Display This Question:*

21 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = No*
22

23
24 **6d. Why do you think fewer people are seeking vaccinations, even though vaccination**
25 **services are available? Select all that apply.**
26

- 27 Parents are unaware that vaccination services are still available (4)
28
29 Parents are not coming to health clinics, unless there is an emergency (7)
30
31 Parents are unable to travel to clinic due to transportation barriers (8)
32
33 Parents are afraid of contracting COVID-19 in a clinic setting (9)
34
35 Other, specify: (10) _____
36
37
38
39
-

7. After the lockdown is lifted, how long do you think it will take your clinic/hospital to resume vaccination services:

	Up to 50% Capacity (1)	Up to 100% Capacity (8)
Immediately (1)	<input type="radio"/>	<input type="radio"/>
2-4 Weeks (2)	<input type="radio"/>	<input type="radio"/>
1-3 Months (9)	<input type="radio"/>	<input type="radio"/>
3-6 Months (10)	<input type="radio"/>	<input type="radio"/>
More than 6 Months (11)	<input type="radio"/>	<input type="radio"/>

8. To your knowledge, in your city/town/district have other vaccination services been suspended in:

Private clinics (1)	▼ Yes (1) ... No (2)
Public clinics/hospitals (2)	▼ Yes (1) ... No (2)

9. To your knowledge, are there fewer vaccines or vaccine supplies available in your institution/clinic?

- Yes (1)
- No (2)
- I don't know (3)
- Other, specify: (4) _____

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

10. Have the following services been suspended:

	Yes (1)	No (2)	I Don't Know (3)
Polio Vaccine Campaigns (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Measles and Rubella vaccine Campaigns (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

11. In your service catchment area, has payment to any of your healthcare colleagues/staff/community health care workers been affected?

- No impact – all staff still receiving payment (1)
- Receiving reduced payment (specify who is impacted and why their payment has been reduced) (2)
- Receiving no payment (specify who is impacted and why their payment has been reduced) (3)
- Other (specify) (4)

12. Is there a plan in place for catch up vaccination services after the lockdown is lifted?

- Yes (specify) (1) _____
- No (2)
- I do not know (3)

1
2
3 **13. How do you think this lockdown will affect long-term health for children (select all**
4 **that apply)?**
5

- 6 No impact (1)
7
8 Reduced vaccination coverage that is temporary (2)
9
10 Reduced vaccination coverage leading to vaccine-preventable disease outbreaks (3)
11
12 Reduced health services leading to non-COVID-19 related morbidity and deaths (4)
13
14 Other (specify) (5) _____
15
16
17
18
-

19
20
21
22 **14. How do you think vaccination services could have been continued during the**
23 **lockdown period?**
24

25 _____
26
27

28
29
30 **15. Do you have any other remarks on the impact of COVID-19 on routine immunization**
31 **that you would like to share?**
32

33 _____
34
35

36
37
38
39 **16. Thank you very much for your feedback and time! If you are interested in receiving a**
40 **report back, please leave your email here:**
41

42 _____
43
44

45 **End of Survey**
46

Impact on Routine Vaccination Services in the era of COVID-19: Round 2

Start of Survey

Impact on Routine Vaccination Services in the era of COVID-19: Round 2

Nations all over the world are implementing measures to mitigate the spread of the COVID-19 pandemic. While the global scientific community is making concerted efforts to come up with a vaccine that can prevent or limit the spread the infection, we are examining existing immunization systems that have played a crucial role in preventing millions of vaccine-preventable deaths.

Johns Hopkins University and the Indian Academy of Pediatrics are collaborating to assess the long-term impact of the pandemic on routine vaccination services. This is a quick survey and should only take you approximately 10 minutes. The data will be anonymized and will not be attached to your institution or organization.

We are grateful to you for your help and for coming together to protect our essential health services!

1. To help us interpret your responses, please tell us about yourself:

- Institution/Organization (1)
 - Title/Position (2)
 - Location (City/Town) (3)
 - Location (State) (4)
-

1
2
3 **2. (i) Please describe your institution/organization type**
4

- 5 Public, Specify (Clinic or Hospital): (1)
6
7 Private, Specify (Clinic or Hospital): (2)
8
9 Other, Specify: (3) _____
10
11
12
13 -----

14
15
16 **2. (ii) Please describe your location type:**
17

- 18 Urban (1)
19
20 Rural (2)
21
22 Semi-urban (3)
23
24
25
26 -----

27
28
29 **3. What is your primary area of work?**
30

- 31 Pediatrician (1)
32
33 Other Physician /medical officer (2)
34
35 Scientist/Researcher (3)
36
37 Public policy worker/officer (4)
38
39 Other, Specify: (5) _____
40
41
42
43 -----

44
45
46 **4. Did you participate in the survey of Impact on Routine Vaccination Services in the era**
47 **of COVID-19 Round 1, which was circulated on 5 May 2020 by the Indian Academy of**
48 **Pediatrics?**
49

- 50
51 Yes (1)
52
53 No (2)
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

5. Did you provide vaccinations in your clinic / institution / healthcare center?

Yes (1)

No (2)

6. (i) How involved were you in vaccination services at your clinic/hospital, prior to the months of March/April 2020? (Please mark all that apply)

Provide vaccination services on a daily/routine basis (1)

Involved in oversight of vaccination services (3)

Not directly involved but services are routinely available at my healthcare facility (4)

Not routinely involved in vaccination services (5)

Other, Specify: (6) _____

6. (ii) Are you involved in special campaigns of vaccinations?

Yes (1)

No (2)

1
2
3 **7. Compared to the early months of the pandemic, how did your involvement with**
4 **vaccination services CHANGE during the months of July/August 2020?**
5
6

- 7 I am providing a greater number of vaccinations (1)
8
9 I am providing the same number of vaccinations (2)
10
11 I am providing vaccinations less frequently (3)
12
13 I am not providing vaccinations currently (4)
14
15
16
-

17
18
19 **8. During the months of July/August 2020, did you see the same number of patients**
20 **coming in for vaccination services, as prior to the COVID-19 pandemic?**
21
22

- 23 Yes (1)
24
25 No, we saw between 99% - 80% of the previous patient volume for vaccinations (2)
26
27 No, we saw between 79% - 50% of the previous patient volume for vaccinations (3)
28
29 No, we saw between 25-50% of the previous patient volume for vaccinations (4)
30
31 No, we saw less than 25% of the previous patient volume for vaccinations (5)
32
33 Other, specify: (6) _____
34
35
36
37
38
-

1
2
3 **9. Please select any access barriers for vaccination services during the months of**
4 **July/August 2020: (Please mark all that apply)**
5

- 6 None (1)
7
8
9 Local policies for sustaining vaccination services were not available or enforced (2)
10
11
12 Limited availability of vaccine(s) or vaccine-related supplies (e.g., syringes) (3)
13
14 Low availability of healthcare workers (4)
15
16 Healthcare workers are prioritizing other health issues (5)
17
18 Low availability of personal protection equipment (PPE) for healthcare workers (6)
19
20 Financial constraints in the provision of vaccination services (7)
21
22 Other, Specify: (8) _____
23
24
25
-

26
27
28
29 **10. Please select any demand-side barriers for accessing vaccination services during the**
30 **months of July/August 2020: (Please mark all that apply)**
31

- 32 None (1)
33
34
35 Caregivers are not able to safely use transportation to get the clinic (2)
36
37
38 Caregivers are uncertain about coming for vaccination services because they are
39 unaware if vaccinations are available (3)
40
41 Caregivers are afraid of contracting COVID-19 in a clinic setting (4)
42
43
44 Financial barriers and difficulty to pay for services (5)
45
46 Concerns on vaccination safety and effectiveness in the time of the pandemic (6)
47
48 Other, Specify: (7) _____
49
50
-

1
2
3 **11. Has your state/district started to plan activities to vaccinate children who may have**
4 **missed their routine vaccines due to the pandemic?**
5

6
7 Yes (1)

8
9 No (2)

10
11 Don't know (3)

12
13 Other, Specify: (4) _____
14
15
16

17 -----
18
19 **12. Have you begun to provide catch-up vaccinations to children who have missed their**
20 **routine vaccinations due to the pandemic?**
21

22
23 Yes (1)

24
25 No, Specify why: (2) _____
26
27
28

29 -----
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **13. Which of the following strategies have been implemented to increase vaccine uptake**
4 **during the months of July/August?**
5
6

7 Increased hours for vaccinations, Specify details: (1)
8 _____
9

10 Having special and distinct hours for vaccination, Specify details: (2)
11 _____
12

13 SMS / text messaging campaigns, Specify details: (3)
14 _____
15

16 Calls to caregivers who have missed vaccinations, Specify details: (4)
17 _____
18

19 Outdoor vaccination camps, Specify details: (5)
20 _____
21

22 Door-to door vaccination outreach, Specify details: (6)
23 _____
24

25 Novel and cost-effective ways of providing adequate PPE, Specify details: (7)
26 _____
27

28 Providing vaccines in special settings (e.g. bazaar) or common places of social
29 gathering and incorporating social distancing measures, Specify details: (8)
30 _____
31

32 None, Specify details: (9) _____
33

34 Other, Specify: (10) _____
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **14. How do you think the lockdown has impacted long-term health for children (select all**
4 **that apply)?**
5

- 6
7 No impact (1)
8
9 Temporary reduction in vaccination coverage and missed doses for children (2)
10
11 Reduced vaccination coverage leading to vaccine-preventable disease outbreaks (3)
12
13 Reduced health services leading to non-COVID-19-related morbidity and deaths (4)
14
15 Increased malnutrition among children (5)
16
17 Other, Specify: (6) _____
18
19
20
21
-

22
23
24 **15. Have you received any guidelines on safe vaccination practices in the era of the**
25 **pandemic?**
26

- 27
28 Yes, National Guidelines (1)
29
30 Yes, State Guidelines (2)
31
32 Yes, Guidelines from the Indian Academy of Pediatrics (IAP) (3)
33
34 We put together our own institutional guidelines based on international guidelines (4)
35
36 No (5)
37
38 Other, Specify: (6) _____
39
40
41
42
-

43
44
45 **16. Have you been able to incorporate these guidelines in your practice?**
46

- 47
48 Yes, Specify: (1) _____
49
50 No, Specify: (2) _____
51
52
53
-

1
2
3 **17. Have you seen an increase in misinformation (through digital media, mainstream**
4 **media, community rumors) related to routine immunization since the start of the**
5 **pandemic?**
6

7
8 Yes, Specify: (1) _____
9

10 No, Specify: (2) _____
11
12

13 -----
14
15 **18. Do you have any other remarks on the impact of COVID-19 on routine immunization**
16 **you would like to share? (optional)**
17
18

19 _____
20
21

22 -----
23
24 **19. Thank you very much for your feedback and time! If you are interested in receiving a**
25 **report back, please leave your email here:**
26

27 _____
28
29

30 **End of Survey**
31
32

33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

BMJ Paediatrics Open

COVID-19-related disruptions to routine vaccination services in India: a survey of paediatric providers

Journal:	<i>BMJ Paediatrics Open</i>
Manuscript ID	bmjpo-2021-001060.R1
Article Type:	Original research letter
Date Submitted by the Author:	23-Mar-2021
Complete List of Authors:	Shet, Anita; Johns Hopkins University Bloomberg School of Public Health, International Health Dhaliwal, Baldeep; Johns Hopkins University Bloomberg School of Public Health, International Health Banerjee, Preetika; Johns Hopkins University Bloomberg School of Public Health, International Health Carr, Kelly; Johns Hopkins University Bloomberg School of Public Health, International Health DeLuca, Andrea; Amputee Coalition of America Britto, Carl; St John's National Academy of Health Sciences Seth, Rajeev; Bal Umang Drishya Sanstha (BUDS) Parekh, Bakul; Indian Academy of Pediatrics Basavaraj, GV; Indian Academy of Pediatrics Shastri, Digant; Indian Academy of Pediatrics Gupta, Piyush; Indian Academy of Pediatrics
Keywords:	COVID-19, Data Collection, Epidemiology

SCHOLARONE™
Manuscripts



I, the Submitting Author has the right to grant and does grant on behalf of all authors of the Work (as defined in the below author licence), an exclusive licence and/or a non-exclusive licence for contributions from authors who are: i) UK Crown employees; ii) where BMJ has agreed a CC-BY licence shall apply, and/or iii) in accordance with the terms applicable for US Federal Government officers or employees acting as part of their official duties; on a worldwide, perpetual, irrevocable, royalty-free basis to BMJ Publishing Group Ltd ("BMJ") its licensees and where the relevant Journal is co-owned by BMJ to the co-owners of the Journal, to publish the Work in this journal and any other BMJ products and to exploit all rights, as set out in our [licence](#).

The Submitting Author accepts and understands that any supply made under these terms is made by BMJ to the Submitting Author unless you are acting as an employee on behalf of your employer or a postgraduate student of an affiliated institution which is paying any applicable article publishing charge ("APC") for Open Access articles. Where the Submitting Author wishes to make the Work available on an Open Access basis (and intends to pay the relevant APC), the terms of reuse of such Open Access shall be governed by a Creative Commons licence – details of these licences and which [Creative Commons](#) licence will apply to this Work are set out in our licence referred to above.

Other than as permitted in any relevant BMJ Author's Self Archiving Policies, I confirm this Work has not been accepted for publication elsewhere, is not being considered for publication elsewhere and does not duplicate material already published. I confirm all authors consent to publication of this Work and authorise the granting of this licence.

1
2
3 **COVID-19-related disruptions to routine vaccination services in India: a survey of paediatric**
4 **providers**
5
6
7

8 Anita Shet¹, Baldeep Dhaliwal¹, Preetika Banerjee¹, Kelly Carr¹, Andrea DeLuca², Carl Britto³,
9 Rajeev Seth⁴, Bakul Parekh⁵, GV Basavaraj⁵, Digant Shastri⁵, Piyush Gupta⁵
10
11
12
13

14 ¹ International Vaccine Access Center, Johns Hopkins Blomberg School of Public Health,
15 Baltimore, USA
16

17 ² Amputee Coalition, Washington DC, USA
18

19 ³ St Johns Research Institute, Bangalore, India
20

21 ⁴ Bal Umang Drishya Sanstha, New Delhi, India
22

23 ⁵ Indian Academy of Pediatrics
24
25
26
27
28
29
30

31 ***Corresponding Author:***

32 Anita Shet, MD. PhD
33

34 International Vaccine Access Center
35

36 Johns Hopkins Blomberg School of Public Health, Baltimore, USA
37

38 Email: ashet1@jhu.edu
39
40
41

42 ***Author contributions***

43 AS, BD, and DS conceived the study with contributions from BP, GVB and PG. BP, PB and AD
44 developed study instruments, planned and conducted the study. PB, BD and KC managed data,
45 and conducted the analysis of the data. CB and RS, along with DS, BP, GVB and PG provided
46 critical review of the instruments and conducted pilot testing. AS, BD and PB prepared the first
47 draft of the manuscript. All authors reviewed the drafts of this manuscript and approved the
48 final version for submission.
49
50
51
52
53
54
55
56
57
58
59
60

Funding

This work was supported by the Johns Hopkins Maternal and Child Health Center, India, and the Indian Academy of Pediatrics. Grant number is not applicable.

Patient and Public Involvement

This was a survey of professionals, and no patients were involved.

Ethics Statement

This study was approved by the Johns Hopkins Bloomberg School of Public Health (JHSPH) Institutional Review Board (IRB), under the IRB submission number 12405. The IRB determined that proposed activities were 'key informant research' as opposed to 'human subjects research', and determined that the study did not require IRB oversight.

Competing Interests Statement

The authors declare no competing interests.

Word Count

612 words

1
2
3 **COVID-19-related disruptions to routine vaccination services in India: perspectives from**
4 **pediatric providers**
5
6

7
8 **ABSTRACT**
9

10 The COVID-19 pandemic has led to disruptions in essential health services globally. We
11 surveyed Indian pediatric providers on their perceptions of pandemic impact on routine
12 vaccination. Among 424 (survey-1) and 141 (survey-2) respondents representing 26 of 36 Indian
13 states and union territories, complete suspension of vaccination services was reported by
14 33.4% and 7.8%, respectively. In April-June 2020, 83.1% perceived that vaccination services
15 dropped by half, followed by 32.6% in September 2020, indicating slow resumption of services.
16 Concerns that vaccine coverage gaps can lead to mortality was expressed by 76.6%. Concerted
17 multi-pronged efforts are needed to sustain gains in vaccination coverage.
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

RESEARCH LETTER

Essential health services, including routine childhood immunizations have been significantly affected by the COVID-19 pandemic^{1,2}. The nationwide lockdown in India which was implemented on 24 March 2020, possibly slowed the spread of the SARS-CoV-2 virus and averted deaths due to COVID-19³. However the lockdown also resulted in severe movement restrictions and was associated with disruptions in healthcare service provision and health-seeking activities⁴. In order to study how COVID-19 control measures may have impacted routine vaccination during this period, we surveyed pediatric healthcare providers in India at two timepoints, during and after the lockdown. The survey assessed the degree of disruption to vaccination services, explored barriers to healthcare provision, and identified innovative ways to regain losses in vaccination coverage.

The surveys were jointly developed by Johns Hopkins Bloomberg School of Public Health (JHSPH) and the Indian Academy of Pediatrics (IAP). Survey 1 (April-June 2020) and Survey 2 (September 2020) (appendix) were launched virtually using Qualtrics, and distributed to a network of pediatricians and other care providers. Surveys were anonymous, and distribution took place via email, text messages, telephone, in-person, and social media platforms such as WhatsApp. This study was reviewed by the JHSPH Institutional Review Board (IRB) and approved as a non-human subjects research (#12405). Results represented pediatricians' perceptions about vaccination services, and were analysed using Stata version 15.1.

Survey 1 and 2 recorded 424 and 141 responses respectively, representing 21 Indian states. Majority of the respondents (96.0% and 92.9% respectively) were pediatricians who worked in predominantly urban and private healthcare centers (Table 1). Complete or partial suspension of immunization services at their respective centers was perceived by 33.4% (142/424) of respondents. In Survey 1 (April-June 2020), vaccination services dropped by over half in 83.1%, followed by 32.6% in Survey 2 (September 2020). Interruption of vaccine campaigns for measles, rubella, and polio were reported by 37.7% (160/424). Only 38.7% (164/424) of

1
2
3 respondents reported having a plan for catch-up vaccination once these restrictions were
4
5 eased.
6
7

8
9 Notable supply-side (healthcare availability) barriers included low availability of healthcare
10 workers; financial constraints; and limited supplies such as personal protective equipment (PPE)
11 (Figure 1). Barriers to caregiver vaccine uptake included low awareness of service availability;
12 transportation limitations; fear of contracting COVID-19 from clinical settings; and financial
13 constraints (Table 1). While 61.7% (87/141) of respondents were aware of guidelines on safe
14 provision of vaccinations during the COVID-19 pandemic, 42.5% (60/141) were unaware of
15 national vaccination catch-up programs. Perceptions that lockdown consequences would result
16 in a vaccine coverage gap persisted in 76.6% of respondents. Reported suggestions for catch-up
17 vaccinations included special campaigns, localized communications, door-to-door outreach
18 campaigns; text messaging of immunization campaigns, and implementing, affordable or free
19 immunization visits.
20
21
22
23
24
25
26
27
28
29

30
31 Pediatricians and primary care providers in India indicated that substantial vaccination service
32 disruptions were ongoing in 2020, and expressed concerns about the long-lasting impact of
33 pandemic-related health access barriers. This study was limited by a small sample size and
34 potential selection bias. The high proportion of private practitioners in the survey is not
35 representative of national immunization coverage, which is predominantly offered by the public
36 health sector in India⁵. Nevertheless, a majority of Indian states were represented, and early
37 recovery of disruptions seen in the private sector would be reflected in the public sector as
38 well. Similar reports from global surveys indicated substantial disruptions of vaccination
39 services in many countries⁶. While India has made tremendous progress in reducing vaccination
40 inequities in recent years⁷, these gains are now at risk of backsliding as a result of pandemic-
41 related disruptions. The way forward should include an increased focus on catch-up campaigns,
42 strong government engagement, effective surveillance, and clear public health messaging, as
43 these are critical to restoring immunization and essential services for women and children.
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1: Survey respondents' characteristics and perceptions around routine vaccination in the context of COVID-19, April-June 2020 (Survey 1) and September 2020 (Survey 2)

	Survey 1	Survey 2
	n = 424	n = 141
	n (%)	n (%)
<i>Medical Speciality</i>		
Pediatrician or primary care physician	408 (96.2)	136 (96.5)
Public health researcher / policy worker	5 (1.2)	3 (2.1)
Missing	11 (2.6)	2 (1.4)
<i>Participated in Survey 1</i>		
	N/A	60 (42.6)
<i>Institution/organization type</i>		
Public	32 (7.5)	28 (19.8)
Private	369 (87.0)	102 (72.3)
Missing/other	23 (5.4)	11 (7.8)
<i>Location type</i>		
Urban	363 (85.6)	104 (73.7)
Rural and semi-rural	24 (5.6)	35 (24.8)
Missing	37 (8.7)	2 (1.4)
<i>Current volume of those seeking childhood vaccines (as proportion of pre-pandemic volume)</i>		
80-100%	7 (1.8) ^b	28 (19.8)
50-79%	25 (6.3) ^b	28 (19.8)
25-50%	168 (42.4) ^b	35 (24.8)

<25%	161 (40.7)	11 (7.8)
Missing	35 (8.8)	39 (27.7)

Reported barriers to caregiver demand

Unaware services are available	91 (21.4)	33 (23.4)
Only coming in for emergencies	73 (17.2)	N/A ^a
Transportation barriers	165 (38.9)	47 (33.3)
Afraid of contracting COVID-19	176 (41.5)	91 (64.5)
Financial constraints	N/A	48 (34.0)

Awareness and availability of a catch-up vaccination plan

Yes	164 (38.7)	39 (27.6)
No	75 (17.6)	30 (21.2)
Don't know	108 (25.4)	60 (42.5)
Missing	77 (18.1)	12 (8.5)

What is the long-term impact of pandemic disruptions?

No impact	16 (3.7)	4 (2.8)
Temporary vaccine coverage gap	203 (47.9)	108 (76.6)
Vaccine-preventable outbreaks	137 (32.3)	35 (24.8)
Reduced health services leading to non-COVID-19 illness and death	116 (27.3)	40 (28.3)

^a N/A – not applicable as the question was not asked

^b This question was asked to a subset of respondents, and hence the denominator was 396

References

1. World Health Organization News Release, 31 August 2020. Essential Health Survey results. Available at: <https://www.who.int/news-room/detail/31-08-2020-in-who-global-pulse-survey-90-of-countries-report-disruptions-to-essential-health-services-since-covid-19-pandemic>.
2. Chandir S, Siddiqi DA, Setayesh H, Khan AJ. Impact of COVID-19 lockdown on routine immunisation in Karachi, Pakistan. *The Lancet Global Health* 2020; **8**(9): e1118-e20.
3. Laxminarayan R, Jameel S, Sarkar S. India's Battle against COVID-19: Progress and Challenges. *The American journal of tropical medicine and hygiene* 2020; **103**(4): 1343-7.
4. COVID-19 in India: the dangers of false optimism. *Lancet* 2020; **396**(10255): 867.
5. Chokshi M, Patil B, Khanna R, et al. Health systems in India. *Journal of perinatology* 2016; **36**(s3): S9-s12.
6. World Health Organization. Global Immunization News (GIN) June 2020. immunization and COVID-19. Second pulse poll to help understand disruptions to vaccination and how to respond. Available at https://www.who.int/immunization/GIN_June_2020.pdf.
7. Gurnani V, Haldar P, Aggarwal MK, et al. Improving vaccination coverage in India: lessons from Intensified Mission Indradhanush, a cross-sectoral systems strengthening strategy. *BMJ (Clinical research ed)* 2018; **363**: k4782.


1
2
3 **Figure Title and Legend**
4

5 Figure 1: Reported supply-side barriers to routine immunization services, Survey 2, September
6 2020
7
8
9

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Confidential: For Review Only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



481x270mm (300 x 300 DPI)

Impact on Routine Vaccination Services in the era of COVID-19: Round 1

Survey Round 1

Start of Survey

Introduction **Impact on Routine Vaccination Services in the era of COVID-19** Nations all over the world are implementing measures to mitigate the spread of the COVID-19 pandemic. While the global scientific community is making concerted efforts to come up with a vaccine that can prevent or limit the spread the infection, we are examining existing immunization systems that have played a crucial role in preventing millions of vaccine-preventable deaths.

We would like to assess the impact of control measures implemented nationally on routine vaccination services. This survey has 15 questions and should take less than 10 minutes of your time. The data will be anonymized and will not be attached to your institution or organization.

We are grateful to you for your help and for coming together to protect our essential health services!

1. a) To help us interpret your responses, please tell us about yourself:

Institution/Organization (1)

Title/Position (2)

Location (City/Town) (3)

Location (State) (10)

Country (9)

1
2
3 **1. b) Please describe your institution/ organization type:**
4

5 Public (1)
6
7

8 Private (2)
9
10
11 -----
12

13 **1. c) Please describe your location type:**
14

15 Urban (1)
16
17

18 Rural (2)
19
20
21 -----
22

23 **2. What is your primary area of work?**
24

25 Physician/medical officer (1)
26
27

28 Other health worker (2)
29
30

31 Scientist/Researcher (3)
32
33

34 Public policy worker/officer (4)
35

36 ANM or Community Health Worker (CHW) (5)
37
38

39 Other, specify: (6) _____
40
41 -----
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **3. Where do people in your catchment area come from for vaccinations. Please select**
4 **all that apply.**
5
6

- 7
8 Tertiary Hospital (1)
9
10 Secondary-level hospital (district hospital/nursing home) (2)
11
12
13 Primary health care center (urban) (3)
14
15
16 Primary health care center (rural) (4)
17
18
19 Private clinic (urban) (5)
20
21
22 Tenement housing (slums) or marginalized communities (7)
23
24
25 Other (specify): (6) _____
26
27
28
-

29
30
31 **4. How involved are you in vaccination services at your clinic/hospital? Please select all**
32 **that apply.**
33

- 34
35 Provide vaccination services on a daily/routine basis (1)
36
37
38 Involved in special campaigns of vaccinations (2)
39
40
41 Involved in oversight of vaccination services (3)
42
43
44 Not directly involved but services are routinely available at my healthcare facility (4)
45
46
47 Not routinely involved in vaccination services (5)
48
49
50 Other (specify): (6) _____
51
52
53
-

1
2
3 **5. Do you provide vaccinations in your clinic/institution/healthcare center?**
4

5 Yes (1)
6

7 No (2)
8
9

10
11
12 *Display This Question:*

13 *If Do you provide vaccinations in your clinic/institution/healthcare center? = Yes*
14

15
16 **5a. Do you see a similar number of children under 5 years receiving vaccinations across**
17 **all months of the year (i.e. little variability in average numbers)?**
18

19 Yes (1)
20

21 No, the number of children vaccinated varies every month (2)
22
23

24
25
26 *Display This Question:*

27 *If Do you see a similar number of children under 5 years receiving vaccinations across all months*
28 *of... = Yes*
29

30
31 **5b. How many children under 5 years are typically given vaccinations where you provide**
32 **care per month? Please enter average number of children vaccinated per month)**
33

34
35 _____
36
37

38
39 *Display This Question:*

40 *If Do you see a similar number of children under 5 years receiving vaccinations across all months*
41 *of... = No, the number of children vaccinated varies every month*
42

5c. Please provide estimates for how many children under 5 years are typically given vaccinations where you provide care per month. Please enter estimated number vaccinated in your clinic/ institution / healthcare center.

	Fewer than 10 (1)	10 to 49 (2)	50 to 99 (3)	100 to 499 (4)	500 or more (5)
January (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
February (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
March (3)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
April (4)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
May (5)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
June (6)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
July (7)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
August (8)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
September (9)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
October (10)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
November (11)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
December (12)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Confidential: For Review Only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **6. Have vaccination services been suspended in your clinic/institution/healthcare center?**
4

5 Yes (1)
6

7 No (2)
8
9

10
11
12 *Display This Question:*

13 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = Yes*
14

15
16 **6a. Have vaccination services been FULLY or PARTIALLY suspended where you typically**
17 **provide care?**
18

19 Fully suspended (please add description) (1)
20 _____
21

22 Partially suspended (please add description) (2)
23 _____
24
25
26

27
28
29 *Display This Question:*

30 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = Yes*
31

32
33 **6b. Since when have vaccination services in your area been fully or partially**
34 **suspended?**
35

36 Prior to lockdown (specify if possible) (1)
37 _____
38

39 25 March 2020 (day of lockdown) (2)
40

41 After lockdown (specify if possible) (3)
42 _____
43
44
45

46
47
48 *Display This Question:*

49 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = No*
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **6c. If your clinic is open, are you seeing the same number of patients as before?**
4

- 5 Yes (1)
6
7
8 No, we see between 99% - 80% of the previous patient volume (2)
9
10 No, we see between 79% - 50% of the previous patient volume (3)
11
12 No, we see less than 50% of the previous patient volume (4)
13
14 Other, specify: (7) _____
15
16
17

18
19
20 *Display This Question:*

21 *If Have vaccination services been suspended in your clinic/institution/healthcare center? = No*
22

23
24 **6d. Why do you think fewer people are seeking vaccinations, even though vaccination**
25 **services are available? Select all that apply.**
26

- 27
28 Parents are unaware that vaccination services are still available (4)
29
30 Parents are not coming to health clinics, unless there is an emergency (7)
31
32 Parents are unable to travel to clinic due to transportation barriers (8)
33
34 Parents are afraid of contracting COVID-19 in a clinic setting (9)
35
36 Other, specify: (10) _____
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 **7. After the lockdown is lifted, how long do you think it will take your clinic/hospital to**
4 **resume vaccination services:**

	Up to 50% Capacity (1)	Up to 100% Capacity (8)
5 6 7 8 Immediately (1)	<input type="radio"/>	<input type="radio"/>
9 10 11 2-4 Weeks (2)	<input type="radio"/>	<input type="radio"/>
12 13 14 1-3 Months (9)	<input type="radio"/>	<input type="radio"/>
15 16 17 3-6 Months (10)	<input type="radio"/>	<input type="radio"/>
18 19 20 21 More than 6 Months (11)	<input type="radio"/>	<input type="radio"/>

22
23
24
25
26
27
28 **8. To your knowledge, in your city/town/district have other vaccination services been**
29 **suspended in:**

30 31 32 33 34 35 Private clinics (1)	▼ Yes (1) ... No (2)
36 37 Public clinics/hospitals (2)	▼ Yes (1) ... No (2)

38
39
40
41
42
43 **9. To your knowledge, are there fewer vaccines or vaccine supplies available in your**
44 **instituiton/clinic?**

- 45
46
47 Yes (1)
- 48
49 No (2)
- 50
51 I don't know (3)
- 52
53
54
55 Other, specify: (4) _____
- 56
57
58
59
60

10. Have the following services been suspended:

	Yes (1)	No (2)	I Don't Know (3)
Polio Vaccine Campaigns (1)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Measles and Rubella vaccine Campaigns (2)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

11. In your service catchment area, has payment to any of your healthcare colleagues/staff/community health care workers been affected?

- No impact – all staff still receiving payment (1)
- Receiving reduced payment (specify who is impacted and why their payment has been reduced) (2)
- Receiving no payment (specify who is impacted and why their payment has been reduced) (3)
- Other (specify) (4)

12. Is there a plan in place for catch up vaccination services after the lockdown is lifted?

- Yes (specify) (1) _____
- No (2)
- I do not know (3)

1
2
3 **13. How do you think this lockdown will affect long-term health for children (select all**
4 **that apply)?**
5
6

- 7
8 No impact (1)
9
10
11 Reduced vaccination coverage that is temporary (2)
12
13
14 Reduced vaccination coverage leading to vaccine-preventable disease outbreaks (3)
15
16
17 Reduced health services leading to non-COVID-19 related morbidity and deaths (4)
18
19
20 Other (specify) (5) _____
21
22

23
24
25 **14. How do you think vaccination services could have been continued during the**
26 **lockdown period?**
27
28
29 _____
30
31

32
33 **15. Do you have any other remarks on the impact of COVID-19 on routine immunization**
34 **that you would like to share?**
35
36
37 _____
38
39

40
41
42 **16. Thank you very much for your feedback and time! If you are interested in receiving a**
43 **report back, please leave your email here:**
44
45
46 _____
47

48 **End of Survey**
49
50
51
52
53
54
55
56
57
58
59
60

Impact on Routine Vaccination Services in the era of COVID-19: Round 2

Survey 2

Start of Survey

Impact on Routine Vaccination Services in the era of COVID-19: Round 2

Nations all over the world are implementing measures to mitigate the spread of the COVID-19 pandemic. While the global scientific community is making concerted efforts to come up with a vaccine that can prevent or limit the spread the infection, we are examining existing immunization systems that have played a crucial role in preventing millions of vaccine-preventable deaths.

Johns Hopkins University and the Indian Academy of Pediatrics are collaborating to assess the long-term impact of the pandemic on routine vaccination services. This is a quick survey and should only take you approximately 10 minutes. The data will be anonymized and will not be attached to your institution or organization.

We are grateful to you for your help and for coming together to protect our essential health services!

1. To help us interpret your responses, please tell us about yourself:

Institution/Organization (1)

Title/Position (2)

Location (City/Town) (3)

Location (State) (4)

1
2
3 **2. (i) Please describe your institution/organization type**
4

5 Public, Specify (Clinic or Hospital): (1)
6
7

8 Private, Specify (Clinic or Hospital): (2)
9

10 Other, Specify: (3) _____
11
12
13 -----

14
15
16 **2. (ii) Please describe your location type:**
17

18 Urban (1)
19

20 Rural (2)
21
22

23 Semi-urban (3)
24
25
26 -----

27
28
29 **3. What is your primary area of work?**
30

31 Pediatrician (1)
32

33 Other Physician /medical officer (2)
34
35

36 Scientist/Researcher (3)
37

38 Public policy worker/officer (4)
39
40

41 Other, Specify: (5) _____
42
43 -----

44
45
46 **4. Did you participate in the survey of Impact on Routine Vaccination Services in the era**
47 **of COVID-19 Round 1, which was circulated on 5 May 2020 by the Indian Academy of**
48 **Pediatrics?**
49

50
51 Yes (1)
52

53 No (2)
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

5. Did you provide vaccinations in your clinic / institution / healthcare center?

Yes (1)

No (2)

6. (i) How involved were you in vaccination services at your clinic/hospital, prior to the months of March/April 2020? (Please mark all that apply)

Provide vaccination services on a daily/routine basis (1)

Involved in oversight of vaccination services (3)

Not directly involved but services are routinely available at my healthcare facility (4)

Not routinely involved in vaccination services (5)

Other, Specify: (6) _____

6. (ii) Are you involved in special campaigns of vaccinations?

Yes (1)

No (2)

1
2
3 **7. Compared to the early months of the pandemic, how did your involvement with**
4 **vaccination services CHANGE during the months of July/August 2020?**
5
6

- 7 I am providing a greater number of vaccinations (1)
8
9 I am providing the same number of vaccinations (2)
10
11 I am providing vaccinations less frequently (3)
12
13 I am not providing vaccinations currently (4)
14
15
16
-

17
18
19 **8. During the months of July/August 2020, did you see the same number of patients**
20 **coming in for vaccination services, as prior to the COVID-19 pandemic?**
21
22

- 23 Yes (1)
24
25 No, we saw between 99% - 80% of the previous patient volume for vaccinations (2)
26
27 No, we saw between 79% - 50% of the previous patient volume for vaccinations (3)
28
29 No, we saw between 25-50% of the previous patient volume for vaccinations (4)
30
31 No, we saw less than 25% of the previous patient volume for vaccinations (5)
32
33 Other, specify: (6) _____
34
35
36
37
38
-

1
2
3 **9. Please select any access barriers for vaccination services during the months of**
4 **July/August 2020: (Please mark all that apply)**
5
6

- 7
8 None (1)
9
10
11 Local policies for sustaining vaccination services were not available or enforced (2)
12
13
14 Limited availability of vaccine(s) or vaccine-related supplies (e.g., syringes) (3)
15
16
17 Low availability of healthcare workers (4)
18
19
20 Healthcare workers are prioritizing other health issues (5)
21
22
23 Low availability of personal protection equipment (PPE) for healthcare workers (6)
24
25
26 Financial constraints in the provision of vaccination services (7)
27
28
29 Other, Specify: (8) _____
30
31
-

1
2
3 **10. Please select any demand-side barriers for accessing vaccination services during the**
4 **months of July/August 2020: (Please mark all that apply)**
5
6

- 7
8 None (1)
9
10
11 Caregivers are not able to safely use transportation to get the clinic (2)
12
13
14 Caregivers are uncertain about coming for vaccination services because they are
15 unaware if vaccinations are available (3)
16
17
18 Caregivers are afraid of contracting COVID-19 in a clinic setting (4)
19
20
21 Financial barriers and difficulty to pay for services (5)
22
23
24 Concerns on vaccination safety and effectiveness in the time of the pandemic (6)
25
26
27 Other, Specify: (7) _____
28
29
-

30
31
32 **11. Has your state/district started to plan activities to vaccinate children who may have**
33 **missed their routine vaccines due to the pandemic?**
34

- 35
36 Yes (1)
37
38 No (2)
39
40
41 Don't know (3)
42
43 Other, Specify: (4) _____
44
45
-

46
47
48 **12. Have you begun to provide catch-up vaccinations to children who have missed their**
49 **routine vaccinations due to the pandemic?**
50

- 51
52 Yes (1)
53
54
55 No, Specify why: (2) _____
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

13. Which of the following strategies have been implemented to increase vaccine uptake during the months of July/August?

- Increased hours for vaccinations, Specify details: (1)

- Having special and distinct hours for vaccination, Specify details: (2)

- SMS / text messaging campaigns, Specify details: (3)

- Calls to caregivers who have missed vaccinations, Specify details: (4)

- Outdoor vaccination camps, Specify details: (5)

- Door-to door vaccination outreach, Specify details: (6)

- Novel and cost-effective ways of providing adequate PPE, Specify details: (7)

- Providing vaccines in special settings (e.g. bazaar) or common places of social gathering and incorporating social distancing measures, Specify details: (8)

- None, Specify details: (9) _____
- Other, Specify: (10) _____
-

1
2
3 **14. How do you think the lockdown has impacted long-term health for children (select all**
4 **that apply)?**
5
6
7

- 8 No impact (1)
9
10
11 Temporary reduction in vaccination coverage and missed doses for children (2)
12
13
14 Reduced vaccination coverage leading to vaccine-preventable disease outbreaks (3)
15
16
17 Reduced health services leading to non-COVID-19-related morbidity and deaths (4)
18
19
20 Increased malnutrition among children (5)
21
22
23 Other, Specify: (6) _____
24
-

25
26
27
28 **15. Have you received any guidelines on safe vaccination practices in the era of the**
29 **pandemic?**
30

- 31 Yes, National Guidelines (1)
32
33
34 Yes, State Guidelines (2)
35
36
37 Yes, Guidelines from the Indian Academy of Pediatrics (IAP) (3)
38
39
40 We put together our own institutional guidelines based on international guidelines (4)
41
42 No (5)
43
44 Other, Specify: (6) _____
45
-

46
47
48
49 **16. Have you been able to incorporate these guidelines in your practice?**
50

- 51
52 Yes, Specify: (1) _____
53
54
55 No, Specify: (2) _____
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

17. Have you seen an increase in misinformation (through digital media, mainstream media, community rumors) related to routine immunization since the start of the pandemic?

Yes, Specify: (1) _____

No, Specify: (2) _____

18. Do you have any other remarks on the impact of COVID-19 on routine immunization you would like to share? (optional)

19. Thank you very much for your feedback and time! If you are interested in receiving a report back, please leave your email here:

End of Survey
