

**STUDY PROFORMA****SUBJECT ID :****A. DEMOGRAPHICS**

Name:	
Age:	
Date of Birth:	
Date of Data Entry:	
Gender	
Address with Landmark:	
Zone	
Province	
District	
Ward/Toll	
House number	
Mobile 1	
Mobile 2	

**Call the mobile number after initial interview**

**B. SOCIO ECONOMIC ASSESMENT**

Type of Family	<input type="checkbox"/> Nuclear	<input type="checkbox"/> Extended	<input type="checkbox"/> Joint
No. of siblings:			
Level of Education (Father)			
<input type="checkbox"/> Profession or honors (PhD)	<input type="checkbox"/> Graduate or Post graduate		
<input type="checkbox"/> Intermediate or Diploma	<input type="checkbox"/> High school certificate		
<input type="checkbox"/> Middle school certificate (U.P)	<input type="checkbox"/> Primary school certificate (L.P)		
<input type="checkbox"/> Illiterate	<input type="checkbox"/> Others		

Occupation (Father)		
<input type="checkbox"/> Legislators, Senior officials, Managers	<input type="checkbox"/> Professionals	
<input type="checkbox"/> Technicians and Associate Professionals	<input type="checkbox"/> Clerks	
<input type="checkbox"/> Skilled workers and Shop & Market Sales Workers		
<input type="checkbox"/> Skilled Agricultural & Fishery workers		
<input type="checkbox"/> Craft & related Trade Workers		
<input type="checkbox"/> Plant & Machine Operators & Assemblers		
<input type="checkbox"/> Elementary Occupation		
<input type="checkbox"/> Unemployed		
<input type="checkbox"/> Others		
-----		
Level of Education (Mother)		
<input type="checkbox"/> Profession or honors (PhD)	<input type="checkbox"/> Graduate or Post graduate	
<input type="checkbox"/> Intermediate Diploma	<input type="checkbox"/> High school certificate	
<input type="checkbox"/> Middle school certificate (U.P)	<input type="checkbox"/> Primary school certificate (L.P)	
<input type="checkbox"/> Illiterate	<input type="checkbox"/> Others	
-----		
Occupation (Mother)		
<input type="checkbox"/> Legislators, Senior officials, Managers	<input type="checkbox"/> Professionals	
<input type="checkbox"/> Technicians and Associate Professionals	<input type="checkbox"/> Clerks	
<input type="checkbox"/> Skilled workers and Shop & Market Sales Workers	<input checked="" type="checkbox"/> Others	
<input type="checkbox"/> Skilled Agriculture & Fishery Workers		
<input type="checkbox"/> Craft & Related Trade Workers		
<input type="checkbox"/> Plant & Machine Operators & Assemblers		
<input type="checkbox"/> Elementary Occupation		
<input type="checkbox"/> Unemployed		
-----		
Family income per month (in Rupees)		(Nepalese Rupees)
<b>In 2021</b>	<b>Score</b>	
INR , Indian Currency		
≥123,322	12	≥197,115
61,663-123,321	10	98660-197314
46129-61,662	6	73806 - 98599
30,831-46,128	4	49329 - 73805
18,497 - 30,830	3	29595 - 49328
6,175 - 18,496	2	9880 - 29594

≤ 6174	1	≤ 987
Family Income(per year) (Rs) :		
Income of Mother (in Indian Rupees)		

**\* The above table was taken from Modified Kuppuswamy Scale 2021. The Indian rupees were converted to Nepalese Rupees ( 1 INR = 1.6 NNR)**

### C. **PRENATAL VARIABLES**

<b>1. Maternal factors :</b>	
Maternal age :	
Prenatal vitamins:	Yes/No
Prenatal infections	Yes/No
If yes details ( bacterial/viral/fungal/Others)	
Perinatal exposure to toxins	Yes/No
<b>2. Fetal Factors :</b>	
IUGR	Yes/No
Fetal Tachycardia	Yes/No
Fetal Distress	Yes/No

### D. **MATERNAL DETAILS:**

<b>1. Anthropometric Measures :</b>	
Height (cm)	
Weight (kg) at the time of confirmation of pregnancy	
BMI at the time of confirmation of pregnancy	
<b>2. Personal History at the time pregnancy:</b>	
Smoking	Yes / No
Passive smoking (family members)	Yes / No
Alcohol intake	Yes/No
Banned Drug intake	Yes/No
<b>3. Medical History:</b>	
Gestational Diabetes	Yes / No
Gestational HTN	Yes/No
Maternal Cardiac Disease	Yes/No
Thyroid status:	Normal / Hyperthyroidism / Hypothyroidism
Psychiatric disorders	Yes/No
<b>4. Family history First Degree (Parents &amp; siblings)</b>	
Family history of Development	Yes/No

Delay	
Disabilities in the Family	Yes/No
<b>5. Drug History (Teratogenic drugs )</b>	Yes/No
<b>6. Delivery details :</b>	
Mode of delivery :	Vaginal/Instrumental/Caesarean Section/Others
Place of delivery :	Home/Hospital/Others
<b>7.Labour Complications:</b>	
a) Chorioamnionitis	Yes/No
b) PROM > 24 hours	Yes/No
c) Meconium stain liquor IF yes (light/moderate/thick)	Yes/No
d)Prolong labour (sum of 1 <sup>st</sup> and 2 <sup>nd</sup> stage of labour > = 24hrs)	Yes/No
E) oligohydramnios ( AFI< 5)	
<b>8.Preexisting illness:</b>	Yes / No
If yes,	
1.	
2.	
3.	
<b>9.Intrapartum Maternal Infection:</b>	
1)Maternal Fever > (100.4 F(38C)	Yes/No
2)Purulent Foul Smelling Discharge	Yes/No
3)Leukocytosis (WBC>18000/mm3)	Yes/No
Maternal-Urinary tract Infections	Yes/No
Alcohol / Drug Abuse	Yes/No
Vaginal GBS colonization	Yes/No
<b>10.Antenatal visits :</b>	Yes/No
If Yes	
<= 4	Yes/No
>4	Yes/No
<b>11.Antenatal steroids</b>	Yes/No
If yes dose of antenatal steroids	

#### E. **DIAGNOSTIC VARIABLES:**

<b>1. Confirmed Sepsis:</b>	
a) Culture positive	Yes / No
If yes , 1)Specimen If yes 2) Details of the organism causing it	Blood / CSF/Urine
b) Abnormal CSF/Meningitis culture negative	Yes/No

<b>2.</b>  <b>Laboratory Parameters</b>  A) Thrombocytopenia B) Leukocytosis OR Leukopenia  C) Neutropenia/neutrophilia (40.00-75.00)  D) CrP positive	<b>Different Time points:</b>		
	At the diagnosis of sepsis	Repeat investigation	Reference
	Yes/No	Yes/No	after 1 week ) 84000 - 4,78000
	Yes/No Yes/No Yes/No	Yes/No Yes/No	0 - 30 days : 9100 to 34000 (40.00-75.00) <6 mg/dl
<b>Lab parameters:</b>	<b>Value (initial)</b>	<b>Last value</b>	
Platelet Count :(after 1 week ) 84000 - 4,78000  WBC Count : 0 - 30 days : 9100 to 34000  Neutrophil count : (40.00-75.00)  I/T RATIO : (I/T ratio < 0.2)  CRP titre : <48mg/dl			
<b>2.Antimicrobial therapy:</b> a)5 or more days duration of antibiotic  b)Name of Antibiotic Used :	Yes/No	Aminoglycosides/Ampicillin/cefotaxime/Vancomycin/quinolones/tazobactam/Meropenem/third generation cephalosporin/others.	
<b>4.Clinical parameters :</b>           IMCI AND WHO CRITERIA FOR SEVERE INFECTIONS IN CHILDREN	Clinical Picture :		

a) Neurological:	a) Lethargy, irritability, convulsions, drowsy or unconscious, decreased activity, bulging fontanel	Yes/No
b) Respiratory:	respiratory rate >60 breaths/min, grunting, severe chest indrawn, central cyanosis, apnea	Yes/No
c) Cardiac:	poor perfusion, rapid and weak pulse, unexplained tachycardia >160/min	Yes/No
d) Gastrointestinal:	jaundice, poor feeding, abdominal distention, feed intolerance	Yes/No
e) Dermatological:	skin pustules, periumbilical erythema or purulence	Yes/No
f) Musculoskeletal:	edema or erythema overlying bones or joints, pausing of movements	Yes/No
g) Other	temperature >37.7°C (99.9°F; or feels hot) or < 35.5°C ( 95.9°F; or feels cold	Yes/No

## **F. POST NATAL VARIABLES:**

### DETAILS:

Gestational Age (weeks):	
Duration of Hospital Stay	
Multiple Gestation	Yes/No
Prematurity	Yes/No
APGAR scores: 1 min & 5 min	
Birth weight: (kg)	
Need for neonatal resuscitation:	Yes / No
Assisted Ventilation	Yes/No

If yes Duration of ventilation in hours Lowest PaCO <sub>2</sub>	
Blood or Blood Products Transfusion	Yes/No
If yes : No. of times blood or blood products were Transfused	
Requirement of Inotropes	Yes/No
If yes Name of Inotropes used	Dopamine/dobutamine/Adrenaline/noradrenaline/others
Use of Opioids	Yes/No
If yes type of opioids used	Morphine/fentanyl/midazolam/others
If yes Duration of use of Opioids	
Mode of transport to the study centre (if delivered outside study centre):	Monitored / Not monitored
Date of birth:	
Day of Neonatal Sepsis diagnosis:	
Date of admission to tertiary centre:	
If referred from centre to centre Transport duration (hours): Transport Distance (KM)	
Repeated Neonatal Hospital Admission	Yes/No
Post Natal Steroids	Yes/No
Neonates undergone surgery/interventions/anaesthesia	Yes/No
Birth Asphyxia	Yes/No
If Yes Birth asphyxia induced Seizures If Yes	Yes/No
Name of drug Used	Phenobarbitone/Phenytoin/Midazolam/Livetiracetam/others
Route of transmission	IV/Oral/IM/Per Rectal/Inhalation/Subcutaneous/others
Duration of Drug administered	
Neonatal seizure	Yes/No
If yes : type of drug used with route and duration	Phenobarbitone/Phenytoin/Midazolam/Livetiracetam/others  IV/Oral/IM/Per Rectal/Inhalation/Subcutaneous/others

Indwelling foreign bodies such as a central venous catheter or endotracheal tube or parental nutrition .	Yes/No
Any prior known infections before hospital admission	Yes/No
Other known neonatal co-morbidity at the time of discharge :	Yes/No
IVH/BPD/RDS/PDA/PVL/ROP/hearing impairment/ others	
Repeated Diagnosis of Neonatal Sepsis :	Yes/No



**G. POSTNATAL NEURODEVELOPMENTAL ASSESSMENT– Visit 1**

1.	Date of Visit	
2.	Age in Completed months/corrected age	
3.	Follow up duration in months after Discharge	
4.	Assessment done by	
5.	Assessment time From ..to..	
6.	Duration of assessment	

<b>Variables</b>	<b>Motor Component</b>	<b>Mental Component</b>
<b>Performance</b>	Motor Age (MoA)	Mental Age (MeA)
<b>50% Pass</b>		
<b>97% Pass</b>		
<b>Development</b>	Development Motor Quotient (DmoQ)	Development Mental Quotient (DMeQ)
<b>50 % Pass level</b>		
<b>97 % Pass level</b>		
<b>Deviation Quotients</b>	Motor Deviation Quotients (MoDQ)	Mental Deviation Quotients (MeDQ)
<b>Percentile Rank</b>		

**Cluster Calculation:**

<b>Mental Cluster Types:</b>	<b>No. of Items (score)</b>	<b>PercentileRank of Motor cluster</b>	<b>Interpretation</b>
<b>I. Cognizance - Visual (n=25)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	

<b>II. Cognizance- Auditory(n=7)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>III. Reaching,manipulation and exploring(n=36)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>IV. Memory(n=11)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>V. Social Interaction and imitative behaviour (n=22)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>VI. Language- Vocabulary,Speech and communication(n=11)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> </ul>	

		<ul style="list-style-type: none"> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
VII. Language-Vocabulary and comprehensive (n=18)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
VIII. Understanding relationship(n=18)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
IX. Differentiation by use, shapes and movements (n=8)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
X. Manual Dexterity (n=7)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> </ul>	

		<ul style="list-style-type: none"><li>■ 25<sup>th</sup> = average</li><li>■ 10<sup>th</sup> = below average</li><li>■ 75<sup>th</sup> = average</li></ul>	
--	--	---	--

<b>Motor Clusters</b>	<b>No . of Items (score)</b>	<b>Percentile Rank of Mental Cluster</b>	<b>Interpretation</b>
<b>I. Neck Control</b> (n=7)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>II.Body control</b> (n=23)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>III.Locomotion Coordination</b> (n=10)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>IV. Locomotion (skills)</b> (n=13)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>V.Manipulation</b> (n=14)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> </ul>	

		<b>■ 10<sup>th</sup> = below average</b> <b>■ 75<sup>th</sup> = average</b>	
--	--	--	--

<b>Interpretation :</b>	
<b>Motor developmental quotient</b>	
<b>Mental developmental quotient</b>	

**H. POSTNATAL NEURODEVELOPMENTAL ASSESSMENT– Visit 2**

1.	Date of Visit	
2.	Age in Completed months/corrected age	
3.	Follow up duration in months after Discharge	
4.	Assessment done by	
5.	Assessment time From ..to..	
6.	Duration of assessment	

<b>Variables</b>	<b>Motor Component</b>	<b>Mental Component</b>
<b>Performance</b>	Motor Age (MoA)	Mental Age (MeA)
<b>50% Pass</b>		
<b>97% Pass</b>		
<b>Development</b>	Development Motor Quotient (DmoQ)	Development Mental Quotient (DMeQ)
<b>50 % Pass level</b>		
<b>97 % Pass level</b>		
<b>Deviation Quotients</b>	Motor Deviation Quotients (MoDQ)	Mental Deviation Quotients (MeDQ)
<b>Percentile Rank</b>		



**Cluster Calculation:**

<b>Mental Cluster Types:</b>	<b>No. of Items (score)</b>	<b>Percentile Rank of Motor cluster</b>	<b>Interpretation</b>
Cognizance - Visual (n=25)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	

<b>II. Cognizance-Auditory(n=7)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = belowaverage</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>III. Reaching,manipulation andexploring(n=36)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = belowaverage</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>IV. Memory(n=11)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	

<b>V. Social Interaction and imitativebehaviour (n=22)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>VI. Language- Vocabulary, Speech and communication(n=11)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = belowaverage</li> </ul>	
		<ul style="list-style-type: none"> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>VII. Language-Vocabulary andcomprehensive (n=18)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	

<p><b>VIII.</b></p> <p><b>Understanding relationship</b></p> <p><b>(n=18)</b></p>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<p><b>IX. Differentiation by use, shapes and movements</b></p> <p><b>(n=8)</b></p>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<p><b>X. Manual Dexterity (n=7)</b></p>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> </ul>	
		<ul style="list-style-type: none"> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	

<b>Motor Clusters</b>	<b>No . of Items (score)</b>	<b>Percentile Rank of Mental Cluster</b>	<b>Interpretation</b>
<b>I. Neck Control</b> (n=7)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>II.Body control</b> (n=23)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>III.Locomotion Coordination</b> (n=10)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>IV. Locomotion (skills)(n=13)</b>		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> <li>■ 75<sup>th</sup> = average</li> </ul>	
<b>V. Manipulation</b> n (n=14)		<ul style="list-style-type: none"> <li>■ &lt; 10<sup>th</sup> = Delay</li> <li>■ 10 to 25 = below average</li> <li>■ 25 to 75 = average</li> <li>■ &lt;75 = above average</li> <li>■ 25<sup>th</sup> = average</li> <li>■ 10<sup>th</sup> = below average</li> </ul>	

		■ 75 <sup>th</sup> = average	
--	--	------------------------------	--

<b>Interpretation :</b>	
<b>Motor developmental quotient</b>	
<b>Mental developmental quotient</b>	



